

# **PCMarket**

Informasi Niaga dan Harga Komputer

KursUS\$ per 7 September 2006 Rp9.110

(sumber www.klikbca.com.)

Imam Ariyanto (021) 315-3731

Meladi Krisbiono (021) 315-3731



MarketTalk

## AMD AM2, Bulan Ramadhan dan Notebook Bekas

Untuk *ngabuburit*, pilih PC baru atau notebook bekas, ya?

alo pembaca! Seperti sudah saya perkirakan dari bulan lalu, seiring dengan tersedianya processor AMD dengan soket AM2, maka pada bulan September ini motherboard-motherboard yang mendukung processor ini telah banyak di pasaran. Hampir semua vendor motherboard besar telah memiliki produk dengan soket AM2, dan sebagian besar diantaranya telah didapatkan di pusat-pusat komputer, seperti di Mangga Dua, Glodok, maupun BEC Bandung.

Pada bulan ini juga, para umat Muslim di seluruh dunia menyambut datangnya bulan suci Ramadhan. Tentu ini merupakan momen yang tepat untuk membeli PC baru, maupun meng-upgrade komponen pada PC lama. Mengapa? Karena harga processor Intel dan AMD serta video card, turun secara signifikan. Dengan PC yang lebih bertenaga, tentunya

"...harga processor Intel dan AMD serta video card, turun secara signifikan."

Anda dapat bermain *game* ataupun berselancar ria di Internet, sambil menunggu waktu berbuka puasa. Namun ingat ya, jangan membuka situs-situs yang dapat mengurangi berkah, atau bahkan membatalkan puasa. :)

Pada PC Media edisi ini juga, saya mencoba mengakomodasi permintaan pembaca yang meminta daftar harga notebook bekas. Seperti kita ketahui, tahun 2006 merupakan masa keemasan bagi notebook, terutama notebook *entry-level* dengan harga di bawah 10 juta. Untuk mereka yang menginginkan notebook dengan harga murah, tentu dapat melirik notebook bekas sebagai pilihan. Oke pembaca, selamat menunaikan ibadah puasa.

#### **PCMarket INDEKS**

Processor	146
Motherboard	146
Video Card	146
Memory	148
Harddisk	
Optical Drive	148
Monitor	150
Software	
Notebook Bekas	150

Harga didapat dari bhinneka.com, jakartanotebook.com dan beberapa vendor.

Harga tidak mengikat dan dapat berubah sewaktu-waktu.

10/2006 PCMedia PCMARKET 145

PROCESSOR		
AMD Athlon 64 3000+ (754) Clock Speed 2.0 GHz, L2 Cache 512KB,	US\$	75
HyperTransport™ FSB up to 1600MHz, Socket 754, (Box)		
AMD Athlon 64 3200+ (939) Clock Speed 2.0 GHz, L2 Cache 512KB, HyperTransport™ FSB up to 2000MHz, Socket 939, (Box)	US\$	89
AMD Athlon 64 3500+ (939) Clock Speed 2.2 GHz, L2 Cache 512KB,	US\$	115
HyperTransport™ FSB up to 2000MHz, Socket 939, (Box)		
AMD Athlon 64 3700+ (939) Clock Speed 2.2 GHz, L2 Cache 1MB,	US\$	225
HyperTransport™ FSB up to 2000MHz, Socket 939, (Box)  AMD Athlon 64 3000+ (AM2) Clock Speed 1.8 GHz, L2 Cache 512KB,	US\$	75
HyperTransport™ FSB up to 2000MHz, Socket AM2, (Box)		
AMD Athlon 64 3200+ (AM2) Clock Speed 2.0 GHz, L2 Cache 512KB,	US\$	87
HyperTransport™ FSB up to 2000MHz, Socket AM2, (Box) AMD Athlon 64 3500+ (AM2) Clock Speed 2.2 GHz, L2 Cache 512KB,	US\$	99
HyperTransport™ FSB up to 2000MHz, Socket AM2, (Box)	03\$	95
AMD Athlon 64 X2 3800+ (AM2) Clock Speed 2.0 GHz, Dual Core,	US\$	172
L2 Cache 1MB, HyperTransport™ FSB up to 2000MHz, Socket AM2	1100	200
AMD Athlon 64 X2 4200+ (AM2) Clock Speed 2.2 GHz, Dual Core, L2 Cache 1MB, HyperTransport™ FSB up to 2000MHz, Socket AM2	US\$	209
AMD Athlon 64 X2 3800+ Clock Speed 2.0 GHz, Dual Core, L2 Cache 1MB,	US\$	174
HyperTransport™ FSB up to 2000MHz, Socket 939, (Box)		
AMD Athlon 64 X2 4400+ Clock Speed 2.2 GHz, Dual Core, L2 Cache 2MB,	US\$	479
HyperTransport™ FSB up to 2000MHz, Socket 939, (Box)  AMD Athlon 64 X2 4800+ Clock Speed 2.4 GHz, Dual Core, L2 Cache 2MB,	US\$	689
HyperTransport™ FSB up to 2000MHz, Socket 939, (Box)	054	00.
AMD Opteron 144 Clock Speed 1.8 GHz, L2 Cache 1MB,	US\$	149
HyperTransport™ FSB 800MHz, Socket 939, (Box)		
AMD Opteron 248 Clock Speed 2.2 GHz (Dual CPU), L2 Cache 1MB, HyperTransport™ FSB 800MHz, Socket 940, (Box)	US\$	255
AMD Sempron 2800+ (754) Clock Speed 1.6 GHz, L2 Cache 256KB,	US\$	49
HyperTransport™ FSB up to 1600MHz, Socket 754, (Box)		
AMD Sempron 3000+ (754) Clock Speed 1.8 GHz, L2 Cache 128KB,	US\$	59
HyperTransport™ FSB up to 1600MHz, Socket 754, (Box)		
INTEL		
INTEL Celeron D 325 Clock Speed 2.53 GHz, L2 Cache 256KB,	US\$	49
FSB 533MHz, Socket 478, (Box)	LICA	4-
INTEL Celeron D 326 Clock Speed 2.53 GHz, L2 Cache 256KB, FSB 533MHz, Socket LGA775, xD-bit, EM64T (Box)	US\$	47
INTEL Celeron D 331 Clock Speed 2.66 GHz, L2 Cache 256KB,	US\$	51
FSB 533MHz, Socket LGA775, xD-bit, EM64T (Box)		
INTEL Pentium 4 2.80A GHz Clock Speed 2.8 GHz, L2 Cache 1MB,	US\$	121
FSB 533MHz, Socket 478, Hyper-Threading, (Box) INTEL Pentium 4 3.0E GHz Clock Speed 3.0 GHz, L2 Cache 1MB,	US\$	179
FSB 800MHz, Socket 478, Hyper-Threading, (Box)	034	.,,
INTEL Pentium 4 506 Clock Speed 2.66 GHz, L2 Cache 1MB,	US\$	98
FSB 533MHz, Socket LGA775, xD-bit, EM64T (Box)	US\$	193
INTEL Pentium 4 631 Clock Speed 3.0 GHz, L2 Cache 2MB, FSB 800MHz, Socket LGA775, Hyper-Threading, xD-bit, EM64T, VT	03\$	193
INTEL Pentium 4 640 Clock Speed 3.2 GHz, L2 Cache 2MB,	US\$	227
FSB 800MHz, Socket LGA775, Hyper-Threading, xD-bit, EM64T		
INTEL Pentium 4 650 Clock Speed 3.4 GHz, L2 Cache 2MB,	US\$	295
FSB 800MHz, Socket LGA775, Hyper-Threading, xD-bit, EM64T INTEL Pentium 4 660 Clock Speed 3.6 GHz, L2 Cache 2MB,	US\$	412
FSB 800MHz, Socket LGA775, Hyper-Threading, xD-bit, EM64T	034	712
INTEL Pentium-D 805 Clock Speed 2.66 GHz, L2 Cache 2x 1MB,	US\$	109
FSB 533MHz, Socket LGA775, xD-bit, EM64T	LICA	12/
INTEL Pentium-D 820 Clock Speed 2.8 GHz, L2 Cache 2x 1MB, FSB 800MHz, Socket LGA775, xD-bit, EM64T	US\$	134
INTEL Pentium-D 840 Clock Speed 3.2 GHz, L2 Cache 2x 1MB,	US\$	439
FSB 800MHz, Socket LGA775, xD-bit, EM64T		
INTEL Pentium-D 930 Clock Speed 3.0 GHz, L2 Cache 2x 2MB,	US\$	199
FSB 800MHz, Socket LGA775, xD-bit, EM64T INTEL Pentium-D 940 Clock Speed 3.2 GHz, L2 Cache 2x 2MB,	US\$	267
FSB 800MHz, Socket LGA775, xD-bit, EM64T	033	207
INTEL Pentium-D 955 Clock Speed 3.46 GHz, L2 Cache 2x 2MB,	US\$	1049
FSB 1066MHz, Socket LGA775, Hyper-Threading, xD-bit, EM64T (Extreme Edition)		
INTEL Core 2 Duo E6300 Clock Speed 1.86 GHz, Dual Core, L2 Cache 2MB, FSB 1066MHz, Socket LGA775, xD-bit, EM64T, VT	US\$	205
INTEL Core 2 Duo E6400 Clock Speed 2.13 GHz, Dual Core,	US\$	245
L2 Cache 2MB, FSB 1066MHz, Socket LGA775, EM64T, VT		
INTEL Core 2 Duo E6600 Clock Speed 2.4 GHz, Dual Core,	US\$	340
L2 Cache 4MB, FSB 1066MHz, Socket LGA775, EM64T, VT INTEL Core 2 Duo E6700 Clock Speed 2.67 GHz, Dual Core,	US\$	555
L2 Cache 4MB, FSB 1066MHz, Socket LGA775, EM64T, VT	033	555
INTEL Core 2 Extreme X6800 Clock Speed 2.93 GHz, Dual Core,	US\$	1099
L2 Cache 4MB, FSB 1066MHz, Socket LGA775, EM64T, VT		
INTEL Xeon 2.8 GHz Clock Speed 2.8 GHz, L2 Cache 512Kb,	US\$	299
FSB 533MHz, Socket 604, (Box) INTEL Xeon 3.6 GHz Nocona Clock Speed 3.6 GHz, L2 Cache 1MB,	US\$	729
Le Cuche Inter	224	, 20

MOTHERBOARD		
AMD SOCKET 754 ABIT NF8 Socket 754, NVIDIA nForce3 250 Gb, FSB 1600 HyperTransport™, AGP 8x,	US\$	99
SATA 150, GbE NIC, Firewire, USB 2.0, Audio, DDR400, ABIT Softmenu™ Technology	054	,,,
ASUS K8N-VM Socket 754, NVIDIA® GeForce 6100, FSB 1600 HyperTransport™,	US\$	77
PCI-e x16, VGA, SATA 300, RAID, NIC, USB 2.0, Audio, DDR400		
DFI NF4X INFINITY Socket 754, NVIDIA nForce4-4X, FSB 1600 HyperTransport™,	US\$	82
PCI-e x16, SATA 150, RAID, NIC, USB 2.0, Audio, S/P DIF, DDR400 MSI K8N Neo Platinum Socket 754, NVIDIA nForce3 250Gb, FSB 1600 Hyper-	US\$	132
Transport™, AGP 8x, SATA 150, RAID, GbE NIC, Firewire, USB 2.0, Audio, DDR400	054	132
AMD SOCKET 939	LICA	204
ABIT AN8 32X Socket 939, Nvidia nForce4 SLI X16, FSB 2000 HyperTransport™, Dual PCI-e x16, SATAII 300, RAID, GbE NIC, Firewire, USB 2.0, Audio,	US\$	204
S/P DIF, DDR 400, Dual Channel, SLI Support		
ABIT AT8 32X Socket 939, ATI CrossFire Xpress 3200, FSB 2000 HyperTransport™,	US\$	191
Dual Full PCIE x16, SATAII 300, RAID, GbE NIC, Firewire, USB 2.0,		
Audio, S/P DIF, DDR 400, Dual Channel	LICA	422
ABIT AT8 Socket 939, ATI RD480 Radeon Xpress 200, FSB 2000 HyperTransport™, PCI-e x16, SATA 300, RAID, GbE NIC, Firewire,	US\$	132
USB 2.0, Audio S/P DIF, DDR400, Dual Channel		
ABIT KN8 Ultra Socket 939, NVIDIA nForce4 Ultra, FSB 2000 HyperTransport™,	US\$	106
PCI-e x16, SATA 150, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR400, Dual Channel		
ALBATRON K8SLI Socket 939, NVIDIA nForce4 SLI, FSB 2000 HyperTransport™, PCI-e	US\$	101
x16, SLI, SATA 150, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR400, Dual Channel ASUS A8N-SLI Deluxe Socket 939, NVIDIA nForce4 SLI, FSB 2000 HyperTransport <sup>TM</sup> ,	US\$	201
PCIe x16, SLI, SATA 150, RAID, GbE NIC, Firewire, USB 2.0, Audio, S/P DIF,	023	201
DDR400, Dual Channel, Al NOS		
ASUS A8N-SLI Premium Socket 939, NVIDIA nForce4 SLI, FSB 2000	US\$	201
HyperTransport™, PCle x16, SLI, SATA 150, RAID, GbE NIC, Firewire,		
USB 2.0, Audio, S/P DIF, AI Cool Pipe, DDR400, Dual Channel	LICA	205
ASUS A8R 32 MVP Deluxe Socket 939, ATI Radeon ® Xpress, FSB 2000, PCIe x16, SLI, SATA 150, RAID, Firewire, USB 2.0, Audio, S/P DIF, DDR400, Dual Channel	US\$	205
DFI LANPARTY UT nF4 SLI-DR Expert Socket 939, NVIDIA nForce4 SLI,	US\$	212
FSB 2000 HyperTransport™, PCle x16, SLI, SATA 150, RAID, GbE NIC,		
Firewire, USB 2.0, Audio, S/P DIF, DDR400, Dual Channel		
DFI LANPARTY UT nF4 SLI-DR Venus Socket 939, NVIDIA nForce4 SLI,	US\$	283
FSB 2000 HyperTransport™, PCle x16, SLI, SATA 150, RAID, GbE NIC, Firewire, USB 2.0, Audio, S/P DIF, DDR400, Dual Channel		
GIGABYTE GA-K8N Pro-SLI Socket 939, NVIDIA nForce4 SLI, FSB 2000	US\$	153
HyperTransport™, AGP 8x, SATA 150, RAID, GbE NIC, Firewire,		
USB 2.0, Audio, DDR400, Dual Channel		
GIGABYTE GA-K8N-SLI Socket 939, NVIDIA nForce4 SLI, FSB 2000 HyperTransport™,	US\$	119
PCI-e x16, SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR400, Dual Channel GIGABYTE GA-K8NXP-SLI Socket 939, NVIDIA nForce4 SLI, FSB 2000	US\$	175
HyperTransport™, PCIe x16, SATA 150, RAID, GbE NIC, USB 2.0, Audio,	054	.,,
DDR400, Dual Channel		
MSI K8N Diamond Plus Socket 939, NVIDIA® nForce4 SLI x16, FSB 1000, PCI-e x16,	US\$	226
SATA 150, RAID, GbE NIC, Firewire, USB 2.0, Audio, S/P DIF, DDR 400, Dual Channel MSI K8N Neo4 Platinum Socket 939, NVIDIA nForce4 Ultra, FSB 2000	l ic¢	100
HyperTransport <sup>TM</sup> , PCI-e x16, SATA 150, RAID, GbE NIC, Firewire,	US\$	183
USB 2.0, Audio, S/P DIF, DDR400, Dual Channel		
MSI K8N SLI Platinum Socket 939, NVIDIA nForce4 SLI, FSB 2000	US\$	194
HyperTransport™, PCIe x16, SLI, SATA 150, RAID, GbE NIC, Firewire,		
USB 2.0, Audio, S/P DIF, DDR400, Dual Channel		
AMD SOCKET AM2		
ABIT FATAL1TY AN9 32X Socket AM2, Nvidia nForce 590 SLI, FSB 2000	US\$	211
HyperTransport, Dual PCI-Express X16, SATAII 300, Dual Gbe NIC,		
Firewire, USB 2.0, Audio, S/P DIF, DDR2 800, Dual Channel		
ABIT KN9 SLI Socket AM2, Nvidia nForce 570 SLI MCP, FSB 2000	US\$	173
HyperTransport, DUAL PCI-Express X16, SATAII 300, RAID, DUAL GBE NIC, FireWire, USB 2.0, Audio, S/P DIF, DDR2 800, Dual Channel		
ASUS M2N32-SLI DELUXE/WIRELESS EDITION Socket AM2,	US\$	284
Nvidia nForce4 SLI MCP, FSB 2000 HyperTransport, PCIE X16, SLI, SATAII 300,		
RAID, GBE NIC, FireWire, USB 2.0, Audio, S/P DIF, DDR2 800, Dual Channel, Wi-Fi		
GIGABYTE GA-M59SLI-S4 Socket AM2, Nvidia® nForce® 590-SLI,	US\$	214
Dual PCI-Express X16, SLI, SATAII 300, RAID, GbE NIC, Firewire, USB 2.0, Audio, S/P DIF, DDR2 800, Dual Channel, Windows Vista & AMD Live Ready		
7. 66.6, 571 DIT, DDN2 660, Dddi Charmer, Windows Vista & Aivid Live Ready		
INTEL SOCKET LGA 775		
ABIT AW8 Socket LGA775, Intel 955X, FSB 1066, PCIe x16, SATA 150, RAID,	US\$	197
Dual PCI-e GbE, Firewire, USB 2.0, Audio, S/P DIF, DDR2 800, Dual Channel,		
ABIT µGuru™ Technology ABIT AW8D Socket 775, Intel 975X, FSB 1066, Dual PCI-Express X16, SATAII 300,	US\$	204
RAID, Dual GbE, Firewire, USB 2.0, S/P DIF, DDR2 800, Dual Channel	ψCC	204
ABIT Fatal1ty-AA8XE Socket LGA775, Intel 925XE, FSB 800, PCI-e x16,	US\$	177
SATA 150, RAID, GbE NIC, Firewire, USB 2.0, Audio, S/P DIF, DDR2 533,		
Dual Channel, ABIT µGuru™ Technology	l lc¢	101
ABIT GD8Pro Socket LGA775, Intel 915P, FSB 800, PCI-e x16, SATA 150, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR2 400, Dual Channel,	US\$	101
ABIT µGuru™ Technology, ABIT µGuru™ Clock		



### Just Coming !!!! PLEXTOR PX-760A First 18x Speed DVD + R/RW Double Layer In The World



- 10x DVD +/- R Double Laver
- 18x DVD + Writer / 8x DVD + ReWriter / 16x DVD Read
- 18x DVD Writer / 6x DVD ReWriter / 16x DVD Read
- 48x CD Writer / 24x CD ReWriter / 48x CD-Read

### PLEXTOR PX-716AL / PX-716UFL / PX-716SA / PX-755A (NEW) / PX750A (NEW) 16x Speed DVD ± R/RW Double Layer In The World



- DVD RAN
- 8x/6x DVD + R/-R Double
- 16x DVD +/- R/R, 8x/6x +/- RW
- 40x CD-R, 24x CD-RW 16x DVD-ROM, 48X CD-ROM

- \*PX-716AL / PX-716UFL & PX-716SA:
- 6x DVD +/- R Double Layer
- 16x DVD +/-R, 8x/4x DVD +/- RW
- 48x CD-R, 24x CD-RW, 16x DVD-ROM, 48X CD-ROM PX-716SA SATA (Black or White Color Front Panel) PX-716AL ATAPI Slot Mode (Black Color)
- PX-716UFL External Slot Mode Support USB 2.0 & FireWire IEEE -1394
  - \* PX-755A:
  - 10x/6x DVD +/- R Double Layer

  - 16x DVD +/- R, 8x/6x DVD +/- RW, 48x CD-R, 24x CD-RW, 16x DVD-ROM, 48 CD-ROM

PX-716UFL U\$ 275 PX-716SA U\$ 199 PX-750A U\$ 155 PX-755A U\$ 155



- Real-time Hardwa
- MPEG-1/2/4 & Div X Converter
- Capture video from camcoder or VCR Edit caringes to your digital
- -vou'r in control
- eate Hollywood-style movies
- Share video Cds and DVDs
- or trade video over the interne

#### PX-W4012TSE

40x/12x/40x



## PX-712A

12x DVD RIRW IDE

12x DVD RW SATA

PX-230A (Bulk Pack) 52x/24x/52x





**US\$ 55** 

USE

Authorized Distributor: BURSA COMPUTER & COMMUNICATION

#### Jakarta:

#### **BURSA COMPUTER**

Gajah Mada Plaza Lt 3A No. 58
 Telp.: (021) 6344111 - 6345417

Infinity Computronic Center - Dusit Mangga Dua Lt.II No.16 Telp.: (021) 62302272 - 62302275

#### Bandung:

BE Computer
- Bandung Electronic Center Lt.1 F no.8
Telp: (022) 4218856

#### **BURSA COMPUTER**

Ratu Plaza Lt.3 No.36 Telp: 72798275 72798276

Selaksa Jaya - Gajah Mada Plaza Lt 3A No.50A Telp.: (021) 6343858

#### Elang Bakti Sarana

- Jl.Pasir Kaliki No.82 Bandung Telp: (022) 4241590

#### **GPL Computer**

- Mangga Dua Mall Lt. 5B - 73 Telp.: (021) 62301231 - 62301227

Selaksa Jaya - Roxy Square Lt.1 Blok A6 No.20 Telp. : (021) 56953914

#### Elang Computer Indonesia

- Jl.Cihampelas No.46B Bandung Telp: (022) 4209765

#### **GPL Computer**

- Harco Elektronic Lt 2 Blok B no.31 Telp.: (021) 6016153 - 6016485

#### Orion Mas Computer

- Dusit Mangga Dua Lt.I No.33 Telp.: (021) 6254235 - 6243313

#### Surabaya:

#### Elmi Computer

- JI.Darmo Park I Blok 3C No.10 Telp: (031) 5671229



#### www.plextor.com

#### Video Card ● Memory ● Harddisk ● Optical Drive

ASUS P5GPL-X Socket LGA775, Intel 915PL, FSB 800, PCI-e x16, SATA 150, US\$ GbE NIC, USB 2.0, Audio, S/P DIF, DDR400, Dual Channel ASUS P5LD2 Socket LGA775, Intel 945P, FSB 1066, PCI-e x16, SATA 150, US\$ RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR2 667, Dual Channel ASUS P5ND2-SUI Deluxe Socket LGA775, INVIDIA nForce4 SU, FSB 1066, PCI-e x16, SL, SATA 150, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR2 667, Dual Channel ASUS P5RD1-V Socket LGA775, ATI Radeon XPress 200, FSB 800, AGP 8x, US\$ SATA 150, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR400, Dual Channel ASUS P5WDG2-WS Socket LGA775, Intel 975X, FSB 1066, PCI-e x16, SATA 300, RAID, Dual GbE NIC, USB 2.0, Audio, S/P DIF, DDR2 667, Dual Channel GIGABYTE GA-81945P-G Socket LGA775, Intel 945P Express, FSB 1066, PCI-e x16, US\$ SATA 150, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR2 667, Dual Channel GIGABYTE GA-965P-DS3 Socket LGA775, Intel 945P Express, FSB 1066, PCI-e x16, US\$ SATA 150, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR2 800, Dual Channel, Intel® Core™2 Duo Support INTEL D945GNTL Socket LGA775, Intel 945G, FSB 1066, PCI-e x16, US\$ VGA, SATA 150, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR2 867 INTEL D955XBKLKR Socket LGA775, Intel 945G, FSB 1066, PCI-e x16, US\$ SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel MSI 865GVM3-V Socket LGA775, Intel 945G, FSB 1066, PCI-e x16, US\$ SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel MSI 945G Neo-F Socket LGA775, Intel 945G, FSB 1066, PCI-e x16, US\$ SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel MSI 955X Platinum Socket TGA775, Intel 955X, FSB 1066, PCI-e x16, US\$ SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel MSI 955X Platinum Socket TGA775, Intel 965G, FSB 1066, PCI-e x16, SATA 150, RIC, USB 2.0, Audio, DDR2 667, Dual Channel MSI 955X Platinum Socket TGA775, Intel 965G, FSB 1066, PCI-e x16, SATA 150, RIC, USB 2.0, Audio, DDR2 667, Dual Channel MSI 965 NGC, FSB 200, Audio, DDR2 667, Dual Channel	83 160 209 91 342 138 171 129 223 68 134 247
RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR2 667, Dual Channel  ASUS PSND2-SLI Deluxe Socket LGA775, NYIDIA nForce4 SLI, FSB 1066, PCI-e x16,  SLI, SATA 150, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR2 667, Dual Channel  ASUS PSRD1-V Socket LGA775, ATI Radeon XPress 200, FSB 800, AGP 8x,  SATA 150, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR400, Dual Channel  ASUS PSWDG2-WS Socket LGA775, Intel 975X, FSB 1066, PCI-e x16, SATA 300,  RAID, Dual GbE NIC, Firewire, USB 2.0, Audio, S/P DIF, DDR2 667, Dual Channel  GIGABYTE GA-8!945P-G Socket LGA775, Intel 945P Express, FSB 1066, PCI-e x16,  SATA 150, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR2 667, Dual Channel  GIGABYTE GA-965P-DS3 Socket LGA775, Intel P965 Express, FSB 1066, PCI-e x16,  SATA 150, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR2 800, Dual Channel,  Intel® Core™2 Duo Support  INTEL D945GNTL Socket LGA775, Intel 945G, FSB 1066, PCI-e x16,  WS\$  SATA 150, RAID, GbE NIC, USB 2.0, Audio, DR2 667, Dual Channel  MSI 865GVM3-V Socket LGA775, Intel 865GV, FSB 800, AGP 8X, VGA,  SATA 150, NIC, USB 2.0, Audio, DDR 400, Dual Channel  MSI 945G Neo-F Socket LGA775, Intel 945G, FSB 1066, PCI-e x16,  WS\$  SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel  MSI 945G Neo-F Socket LGA775, Intel 945G, FSB 1066, PCI-e x16,  WS\$  SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel  MSI 945G Neo-F Socket LGA775, Intel 955X, FSB 1066, PCI-e x16,  SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel  MSI 945G Neo-F Socket LGA775, Intel 955X, FSB 1066, PCI-e x16,  SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel  MSI 945G Neo-F Socket LGA775, Intel 955X, FSB 1066, PCI-e x16,  SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel  MSI 945G Neo-F Socket LGA775, Intel 955X, FSB 1066, PCI-e x16,  SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel  MSI P4N SLI Socket LGA775, NVIDIA nForce4 SLI, FSB 1066, PCI-e x16, SATAII 300,  RAID, GbE NIC, Firewire, USB 2.0, Audio, DDR 400, Dual Channel	209 91 342 138 171 129 223 68 134
ASUS P5ND2-SLI Deluxe Socket LGA775, NVIDIA nForce4 SLI, FSB 1066, PCI-e x16, SLI, SATA 150, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR2 667, Dual Channel ASUS P5RD1-V Socket LGA775, ATI Radeon XPress 200, FSB 800, AGP 8x, SATA 150, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR2 667, Dual Channel ASUS P5WDG2-WS Socket LGA775, Intel 975X, FSB 1066, PCI-e x16, SATA 300, RAID, Dual GbE NIC, Firewire, USB 2.0, Audio, S/P DIF, DDR2 667, Dual Channel GIGABYTE GA-81945P-G Socket LGA775, Intel 945P Express, FSB 1066, PCI-e x16, SATA 150, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR2 667, Dual Channel GIGABYTE GA-965P-DS3 Socket LGA775, Intel 945P Express, FSB 1066, PCI-e x16, SATA 150, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR2 800, Dual Channel, Intel® Core™2 Duo Support INTEL D945GNTL Socket LGA775, Intel 945C, FSB 1066, PCI-e x16, US\$ VGA, SATA 150, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR2 667 INTEL D95SXBKLKR Socket LGA775, Intel 945C, FSB 1066, PCI-e x16, US\$ SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel MSI 945G Neo-F Socket LGA775, Intel 945G, FSB 800, ACP 8X, VGA, SATA 150, NIC, USB 2.0, Audio, DDR2 667, Dual Channel MSI 945G Neo-F Socket LGA775, Intel 945G, FSB 1066, PCI-e x16, US\$ SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel MSI 945G Neo-F Socket LGA775, Intel 945G, FSB 1066, PCI-e x16, US\$ SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel MSI 955X Platinum Socket 775, Intel® 955X, FSB 1066, PCI-e x16, SATAII 300, US\$ SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel MSI 945G Neo-F Socket LGA775, Intel® 955X, FSB 1066, PCI-e x16, SATAII 300, RAID, GbE NIC, Firewire, USB 2.0, Audio, DDR2 667, Dual Channel MSI P4N SLI Socket LGA775, NVIDIA nForce4 SLI, FSB 1066, PCI-e x16, SATAI 150, RAID, GbE NIC, Firewire, USB 2.0, Audio, DDR 667, Dual Channel	91 342 138 171 129 223 68 134 247
ASUS PSRD1-V Socket LGA775, ATI Radeon XPress 200 , FSB 800, AGP 8x, SATA 150, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDRA00, Dual Channel ASUS PSWDG2-WS Socket LGA775, Intel 975X, FSB 1066, PCI-e x16, SATA 300, RAID, Dual GbE NIC, Firewire, USB 2.0, Audio, S/P DIF, DDR2 667, Dual Channel GIGABYTE GA-81945P-G Socket LGA775, Intel 945P Express, FSB 1066, PCI-e x16, SATA 150, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR2 667, Dual Channel GIGABYTE GA-965P-DS3 Socket LGA775, Intel P965 Express, FSB 1066, PCI-e x16, SATAII 300, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR2 800, Dual Channel, Intel® Core™2 Duo Support INTEL D945GNTL Socket LGA775, Intel 945G, FSB 1066, PCI-e x16, VGA, SATA 150, RAID, GbE NIC, USB 2.0, Audio, DR2 667, Dual Channel MS1 865GVM3-V Socket LGA775, Intel 955X, FSB 800, ACP Ex XI6, SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel MS1 865GVM3-V Socket LGA775, Intel 865GV, FSB 800, ACP 8X, VGA, SATA 150, NIC, USB 2.0, Audio, DDR 400, Dual Channel MS1 945G Neo-F Socket LGA775, Intel 945G, FSB 1066, PCI-e x16, SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel MS1 945G Neo-F Socket LGA775, Intel 945G, FSB 1066, PCI-e x16, SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel MS1 95SX Platinum Socket 775, Intel® 95SX, FSB 1066, PCI-e x16, SATAII 300, RAID, GbE NIC, Firewire, USB 2.0, Audio, DDR 400, Dual Channel MS1 94N SLI Socket LGA775, NVIDIA nForce4 SLI, FSB 1066, PCI-e x16, SATA 150, RAID, GbE NIC, Firewire, USB 2.0, Audio, DDR 400, Dual Channel  VIDEO CARD  ATI PCI-E	342 138 171 129 223 68 134 247
ASUS P5WDG2-WS Socket LGA775, Intel 975X, FSB 1066, PCI-e x16, SATA 300, RAID, Dual GbE NIC, Firewire, USB 2.0, Audio, 5/P DIF, DDR2 667, Dual Channel GIGABYTE GA-8!945P-G Socket LGA775, Intel 945P Express, FSB 1066, PCI-e x16, SATA 150, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR2 667, Dual Channel GIGABYTE GA-965P-DS3 Socket LGA775, Intel P965 Express, FSB 1066, PCI-e x16, SATAI 300, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR2 800, Dual Channel, Intel® Core™2 Duo Support INTEL D945GNTL Socket LGA775, Intel 945G, FSB 1066, PCI-e x16, US\$ VGA, SATA 150, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR2 667 INTEL D95SXBKLKR Socket LGA775, Intel 945G, FSB 1066, PCI-e x16, US\$ SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel MSI 865GVM3-V Socket LGA775, Intel 945G, FSB 800, AGP 8X, VGA, SATA 150, NIC, USB 2.0, Audio, DDR 400, Dual Channel MSI 945G Neo-F Socket LGA775, Intel 945G, FSB 1066, PCI-e x16, US\$ SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel MSI 955X Platinum Socket 775, Intel® 955X, FSB 1066, PCI-e x16, SATAII 300, US\$ SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel MSI 955X Platinum Socket 775, Intel® 955X, FSB 1066, PCI-e x16, SATAII 300, RAID, GbE NIC, Firewire, USB 2.0, Audio, DDR 400, Dual Channel MSI P4N SLI Socket LGA775, NVIDIA nForce4 SLI, FSB 1066, PCI-e x16, SATA 150, RAID, GbE NIC, Firewire, USB 2.0, Audio, S/P DIF, DDR2 667, Dual Channel MSI P4N SLI Socket LGA775, NVIDIA nForce4 SLI, FSB 1066, PCI-e x16, SATA 150, RAID, GbE NIC, Firewire, USB 2.0, Audio, S/P DIF, DDR2 667, Dual Channel	138 171 129 223 68 134 247
GIGABYTE GA-8I945P-G Socket LGA775, Intel 945P Express, FSB 1066, PCI-e x16, SATA 150, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR2 667, Dual Channel GIGABYTE GA-965P-DS3 Socket LGA775, Intel P965 Express, FSB 1066, PCIe x16, SATAII 300, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR2 800, Dual Channel, Intel® Core™2 Duo Support INTEL D945GNTL Socket LGA775, Intel 945G, FSB 1066, PCI-e x16, VGA, SATA 150, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR2 667 INTEL D955XBKLKR Socket LGA775, Intel 955X, FSB 800, PCI-e x16, SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel MSI 865GVM3-V Socket LGA775, Intel 865GV, FSB 800, AGP 8X, VGA, SATA 150, NIC, USB 2.0, Audio, DDR 400, Dual Channel MSI 945G Neo-F Socket LGA775, Intel 945G, FSB 1066, PCI-e x16, SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel MSI 955X Platinum Socket 775, Intel® 955X, FSB 1066, PCI-e x16, SATAII 300, RAID, GbE NIC, Firewire, USB 2.0, Audio, DDR 400, Dual Channel MSI 940 SIL Socket LGA775, NVIDIA nForce4 SLI, FSB 1066, PCI-e x16, SATA 150, RAID, GbE NIC, Firewire, USB 2.0, Audio, S/P DIF, DDR2 667, Dual Channel  VIDEO CARD  ATI PCI-E	171 129 223 68 134 247
GIGABYTE GA-965P-DS3 Socket LGA775, Intel P965 Express, FSB 1066, PCIe x16, SATAII 300, RAID, GBE NIC, USB 2.0, Audio, S/P DIF, DDR2 800, Dual Channel, Intel® Core™2 Duo Support  INTEL D945GNTL Socket LGA775, Intel 945G, FSB 1066, PCI-e x16, US\$ VGA, SATA 150, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR2 667  INTEL D95SXBKLKR Socket LGA775, Intel 955X, FSB 800, PCI-e x16, US\$ SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel MSI 865GVM3-V Socket LGA775, Intel 955X, FSB 800, AGP 8X, VGA, SATA 150, NIC, USB 2.0, Audio, DDR 400, Dual Channel MSI 945G Neo-F Socket LGA775, Intel 945G, FSB 1066, PCI-e x16, SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel MSI 955X Platinum Socket T75, Intel® 955X, FSB 1066, PCI-e x16, SATAII 300, RAID, GbE NIC, Firewire, USB 2.0, Audio, DDR 400, Dual Channel MSI P4N SLI Socket LGA775, NVIDIA nForce4 SLI, FSB 1066, PCI-e x16, SATA 150, RAID, GbE NIC, Firewire, USB 2.0, Audio, S/P DIF, DDR2 667, Dual Channel  VIDEO CARD  ATI PCI-E	129 223 68 134 247
NTEL D945GNTL Socket LGA775, Intel 945G, FSB 1066, PCI-e x16, US\$ VGA, SATA 150, RAID, GbE NIC, USB 2.0, Audio, S/P DIF, DDR2 667     NTEL D955XBKLKR Socket LGA775, Intel 955X, FSB 800, PCI-e x16, US\$ SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel     MSI 865GVM3-V Socket LGA775, Intel 865GV, FSB 800, AGP 8X, VGA, US\$ SATA 150, NIC, USB 2.0, Audio, DDR 400, Dual Channel     MSI 945G Neo-F Socket LGA775, Intel 945G, FSB 1066, PCI-e x16, US\$ SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel     MSI 945G Neo-F Socket LGA775, Intel® 955X, FSB 1066, PCI-e x16, SATAII 300, RAID, GbE NIC, Firewire, USB 2.0, Audio, DDR 400, Dual Channel     MSI 955X Platinum Socket 775, Intel® 955X, FSB 1066, PCI-e x16, SATAII 300, RAID, GbE NIC, Firewire, USB 2.0, Audio, DDR 400, Dual Channel     MSI P4N SLI Socket LGA775, NVIDIA nForce4 SLI, FSB 1066, PCI-e x16, SATA 150, RAID, GbE NIC, Firewire, USB 2.0, Audio, S/P DIF, DDR2 667, Dual Channel     VIDEO CARD	223 68 134 247
NTEL D955XBKLKR Socket LGA775, Intel 955X, FSB 800, PCI-e x16, SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel MSI 865GVM3-V Socket LGA775, Intel 865GV, FSB 800, AGP 8X, VGA, US\$ SATA 150, NIC, USB 2.0, Audio, DDR 400, Dual Channel MSI 945G Neo-F Socket LGA775, Intel 945G, FSB 1066, PCI-e x16, US\$ SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel MSI 955X Platinum Socket 775, Intel® 955X, FSB 1066, PCI-e x16, SATAII 300, RAID, GbE NIC, Firewire, USB 2.0, Audio, DDR 400, Dual Channel MSI P4N SLI Socket LGA775, NVIDIA nForce4 SLI, FSB 1066, PCI-e x16, SATA 150, RAID, GbE NIC, Firewire, USB 2.0, Audio, S/P DIF, DDR2 667, Dual Channel VIDEO CARD ATI PCI-E	68 134 247
SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel  MSI 865GVM3-V Socket LGA775, Intel 865GV, FSB 800, AGP 8X, VGA,  SATA 150, NIC, USB 2.0, Audio, DDR 400, Dual Channel  MSI 945G Neo-F Socket LGA775, Intel 945G, FSB 1066, PCI-e x16,  SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel  MSI 955X Platinum Socket 775, Intel® 955X, FSB 1066, PCI-e x16, SATAII 300,  RAID, GbE NIC, Firewire, USB 2.0, Audio, DDR 400, Dual Channel  MSI P4N SLI Socket LGA775, NVIDIA nForce4 SLI, FSB 1066, PCI-e x16, SATA 150,  RAID, GbE NIC, Firewire, USB 2.0, Audio, S/P DIF, DDR2 667, Dual Channel  VIDEO CARD  ATI PCI-E	134 247
SATA 150, NIC, USB 2.0, Audio, DDR 400, Dual Channel  MSI 945G Neo-F Socket LGA775, Intel 945G, FSB 1066, PCI-e x16,  SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel  MSI 955X Platinum Socket 775, Intel® 955X, FSB 1066, PCI-e x16, SATAII 300,  RAID, GbE NIC, Firewire, USB 2.0, Audio, DDR 400, Dual Channel  MSI P4N SLI Socket LGA775, NVIDIA nForce4 SLI, FSB 1066, PCI-e x16, SATA 150,  RAID, GbE NIC, Firewire, USB 2.0, Audio, S/P DIF, DDR2 667, Dual Channel  VIDEO CARD  ATI PCI-E	134 247
SATA 150, RAID, GbE NIC, USB 2.0, Audio, DDR2 667, Dual Channel MSI 955X Platinum Socket 775, Intel® 955X, FSB 1066, PCI-e x16, SATAII 300, RAID, GbE NIC, Firewire, USB 2.0, Audio, DDR 400, Dual Channel MSI P4N SLI Socket LGA775, NVIDIA nForce4 SLI, FSB 1066, PCI-e x16, SATA 150, RAID, GbE NIC, Firewire, USB 2.0, Audio, S/P DIF, DDR2 667, Dual Channel  VIDEO CARD  ATI PCI-E	247
MSI 955X Platinum Socket 775, Intel® 955X, FSB 1066, PCI-e x16, SATAII 300, RAID, GbE NIC, Firewire, USB 2.0, Audio, DDR 400, Dual Channel MSI P4N SLI Socket LGA775, NVIDIA nForce4 SLI, FSB 1066, PCI-e x16, SATA 150, RAID, GbE NIC, Firewire, USB 2.0, Audio, S/P DIF, DDR2 667, Dual Channel  VIDEO CARD  ATI PCI-E	
MSI P4N SLI Socket LGA775, NVIDIA nForce4 SLI, FSB 1066, PCI-e x16, SATA 150, RAID, GbE NIC, Firewire, USB 2.0, Audio, S/P DIF, DDR2 667, Dual Channel  VIDEO CARD  ATI PCI-E	169
ATI PCI-E	
	101
DUAL VGA, TV-Out, PCIe x16	
ASUS Extreme AX 1600 XT Silent/TVD ATI RADEON X1600 XT, US\$ 256MB GDDR3, DUAL DVI, TV-Out, PCIe x16	187
ASUS Extreme AX 1800 XL/2DHTV ATI RADEON X1800, 256MB DDR3, US\$ Dual DVI, TV-Out, Video-In, PCIe x16	442
ASUS Extreme AX 1800 XT/2DHTV ATI RADEON X1800, 512MB DDR3, US\$ Dual DVI, TV-Out, Video-In, PCIe x16	643
ASUS Extreme AX1900 XTX/2DHTV ATI RADEON X1900XTX, 512MB DDR3, US\$ Dual DVI, TV-Out, Video-In, PCIe x16	729
ASUS Extreme AX550GE/TD ATI RADEON X550, 256MB DDR, DVI, TV-Out, PCIe x16 US\$ ASUS Extreme AX850 PRO/HTVD/256M ATI RADEON X850 Pro, 256MB DDR3, US\$	74 247
Dual VGA, DVI, TV-Out, Video-In, PCIe x16	
ASUS PhysX P1 PPU/ GRAW AGEIA PhysX, 128MB DDR3, PCI 3.0 US\$ GECUBE HM-1300GE2-D3 ATI RADEON X1300, 256MB DDR2, US\$	307 89
HyperMemory to 512MB, DUAL VGA, TV-Out, PCIe x16 GECUBE RX1600XTG3-D3 AVIVO X1600 XT, 256MB GDDR3, DVI, TV-Out, PCIe x16 US\$	193
GECUBE RX1900XTXD-VIES ATI RADEON X1900XTX, 512MB GDDR3, US\$ Dual DVI, TV-Out, Video-In, PCIe x16	603
GECUBE RX550GU2-D3 ATI RADEON X550, 256MB DDR, DVI, TV-Out, PCIe x16 US\$	84
GIGABYTE GV-RX30S128D ATI RADEON X300 SE, 128MB DDR, DVI-D, TV-Out, PCIe x16 US\$	53
GIGABYTE GV-RX16P256DE-RH ATI RADEON X1600 Pro, 256MB DDR, 128 bit, US\$ DVI, TV-Out, PCIe x16, Crossfire Ready	152
HIS X1300 512MB HyperMemory ATI RADEON X1300, 128MB DDR2, US\$ DUAL VGA, TV-Out, PCle x16	69
HIS X1600 Pro IceQ 256MB ATI RADEON X1600 XT, 256MB DDR2, US\$ DVI, TV-Out, PCIe x16	127
HIS X1600XT IceQ 256MB ATI RADEON X1600 XT, 256MB GDDR3, US\$ DUAL DVI, TV-Out, PCIe x16	187
HIS X1900XT ATI RADEON X1900XT, 512MB GDDR3, Dual DVI, TV-Out, US\$ Video-In, PCIe x16	459
HIS X1900XTX IceQ3 Dual DL-DVI VIVO 512MB PCIe ATI RADEON X1900XTX, US\$ 512MB DDR3, Dual DVI, TV-Out, Video-In, PCIe x16	569
SAPPHIRE Radeon X1600 Pro ATI RADEON X1600, 256MB DDR2, DVI, TV-Out, PCIe x16 US\$	139
SAPPHIRE Radeon X1600XT ATI RADEON X1600 XT, 256MB DDR3, DVI, US\$ TV-Out, PCle x16	185
SAPPHIRE Radeon X1800 GTO ATI RADEON X1800 GTO, 256MB GDDR3, US\$ DUAL DVI, TV-Out, Video-In, PCIe x16	287
SAPPHIRE Radeon X1900 XTX ATI RADEON X1900 XTX, 512MB GDDR3, US\$ DUAL DVI, TV-Out, Video-In, PCIe x16	577
SAPPHIRE Radeon X550 ATI Radeon X550, 256MB DDR, DVI, TV-Out, PCIe x16 US\$	73
NVIDIA PCI-E ASUS Extreme N6200 GE/TD NVIDIA GeForce 6200, 128MB DDR, DVI, TV-Out, PCIe x16 US\$	97
ASUS Extreme N6600TOP Silent /TD NVIDIA GEFORCE 6200, 125MB DDR, DVI, 1V-DUI, PCIEXTO US\$ DVI, TV-DuI, PCIEXTO	139
DVI, TV-OUL, PCIEXTO ASUS Extreme N6800GT/2DT NVIDIA GeForce 6800 GT, 256MB DDR3, US\$ DVI, TV-OUL, PCIEXTO	277
DVI, TV-Out, PCIe x16  DVI, TV-Out, PCIe x16	85
ASUS Extreme N7600GT/2DHT/256M NVIDIA GeForce 7600 GT, 256MB DDR3, US\$ Dual VGA, Dual DVI, TV-Out, SLI, PCIe x16	232

ASUS Extreme N7800GT/2HDTV/256MB NVIDIA GeForce 7800 GT,	US\$	429
256MB GDDR3, DVI, TV-Out, Video-In, PCIe x16 ASUS Extreme N7900GTX/2DHT/512M NVIDIA GeForce 7900 GTX, 512MB DDR3, Dual VGA, Dual DVI, TV-Out, SLI, PCIe x16	US\$	619
ASUS Extreme N7950GX2/2PH7/1G NVIDIA GeForce 7950, 1GHz DDR3, DUAL DVI, TV-Out, SLI, PCIe x16	US\$	739
GIGABYTE GV-NX62TC256D8 NVIDIA GeForce 6200, 128MB DDR, DVI, TV-Out, PCIe x1	6 US\$	49
GIGABYTE GV-NX66256DP2 NVIDIA GeForce 6600, 256MB DDR2, DVI, TV-Out, PCIe x10	5 US\$	113
GIGABYTE GV-NX66T128D NVIDIA GEForce 6600 GT, 128MB GDDR3,	US\$	143
DVI, TV-Out, PCIe x16  LEADTEK WINFAST PX6200 TC-TDH128 NVIDIA GeForce 6200 TC,	US\$	54
128MB DDR, DVI, TV-Out, PCIe x16		
LEADTEK WINFAST PX6600 GT TDH Extreme NVIDIA GeForce 6600 GT,  128MB DDR3, DVI, TV-Out, PCIe x16	US\$	187
LEADTEK WINFAST PX6800 GT TDH NVIDIA GEForce 6800 GT, 256MB DDR3, DVI, TV-Out, PCIe x16	US\$	309
LEADTEK WINFAST PX7600 GT TDH NVIDIA GeForce 7600 GT, 256MB DDR3, Dual DVI, TV-Out, SLI, PCIe x16	US\$	237
LEADTEK WINFAST PX7800 GTX TDH NVIDIA GeForce 7800 GTX, 256MB DDR3,	US\$	483
DVI, TV-Out, Video-In, SLI, PCIe x16  LEADTEK WINFAST PX7900 GTX TDH NVIDIA GEForce 7900 GTX, 512MB DDR3,	US\$	599
Dual DVI, TV-Out, Video-In, SLI, PCIe x16	LICE	40
PIXELVIEW GeForce 6200 Turbo Cache/128MB NVIDIA GeForce 6200 Turbo Cache, 128MB DDR, DVI, TV-Out, PCIe x16	US\$	49
PIXELVIEW GeForce 6600 GT NVIDIA GeForce 6600 GT, 128MB GDDR3, DVI, TV-Out, PCIe x16	US\$	167
PIXELVIEW GeForce 7900 GTX NVIDIA GeForce 7900 GTX, 512MB DDR3, Dual DVI, TV-Out, Video-In, SLI, PCIe x16	US\$	547
XFX GeForce 7600GT XXX Edition NVIDIA GeForce 7600 GT, 256MB DDR3, Dual DVI, TV-Out, SLI, PCIe x16	US\$	252
XFX GeForce 7900GT NVIDIA GeForce 7900 GT, 256MB DDR3, Dual DVI, TV-Out. SLI. PCIe x16	US\$	359
XFX GeForce 7950 GX2 Extreme NVIDIA GeForce 7950, 1GB DDR3, Dual DVI,	US\$	693
TV-Out, SLI, PCle x16		
MEMORY		
DDR	uce	
MVM 1024MB PC-3200 1024MB DDR 400 PC-3200	US\$	89
MVM 128MR PC-3200 128MR DDR 400 PC-3200	USS	14
MVM 128MB PC-3200 128MB DDR 400 PC-3200 MVM 256MB PC-3200 256MB DDR 400 PC-3200	US\$ US\$	14 26
MVM 256MB PC-3200 256MB DDR 400 PC-3200 MVM 512MB PC-3200 512MB DDR 400 PC-3200 V-GEN 1024MB PC-3200 1024MB DDR 400 PC-3200, 16 IC	US\$ US\$ US\$	26 47 93
MVM 256MB PC-3200 256MB DDR 400 PC-3200 MVM 512MB PC-3200 512MB DDR 400 PC-3200 V-GEN 1024MB PC-3200 1024MB DDR 400 PC-3200, 16 IC V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 4 IC	US\$ US\$ US\$ US\$	26 47 93 15
MVM 256MB PC-3200 256MB DDR 400 PC-3200 MVM 512MB PC-3200 512MB DDR 400 PC-3200 V-GEN 1024MB PC-3200 1024MB DDR 400 PC-3200, 16 IC V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 4 IC V-GEN 256MB PC-3200 256MB DDR 400 PC-3200, 8 IC	US\$ US\$ US\$ US\$ US\$	26 47 93 15 29
MVM 256MB PC-3200 256MB DDR 400 PC-3200 MVM 512MB PC-3200 512MB DDR 400 PC-3200 V-GEN 1024MB PC-3200 1024MB DDR 400 PC-3200, 16 IC V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 4 IC	US\$ US\$ US\$ US\$	26 47 93 15
MVM 256MB PC-3200 256MB DDR 400 PC-3200  MVM 512MB PC-3200 512MB DDR 400 PC-3200  V-GEN 1024MB PC-3200 1024MB DDR 400 PC-3200, 16 IC  V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 4 IC  V-GEN 256MB PC-3200 256MB DDR 400 PC-3200, 8 IC  V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  DDR 2	US\$ US\$ US\$ US\$ US\$ US\$	26 47 93 15 29 49
MVM 256MB PC-3200 256MB DDR 400 PC-3200  MVM 512MB PC-3200 512MB DDR 400 PC-3200  V-GEN 1024MB PC-3200 1024MB DDR 400 PC-3200, 16 IC  V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 4 IC  V-GEN 256MB PC-3200 256MB DDR 400 PC-3200, 8 IC  V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  DDR 2  KINGSTON KVR533D2N4/1G 1024MB DDR2 533 PC-4200, Value RAM	US\$ US\$ US\$ US\$ US\$ US\$	26 47 93 15 29 49
MVM 256MB PC-3200 256MB DDR 400 PC-3200  MVM 512MB PC-3200 512MB DDR 400 PC-3200  V-GEN 1024MB PC-3200 1024MB DDR 400 PC-3200, 16 IC  V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 4 IC  V-GEN 256MB PC-3200 256MB DDR 400 PC-3200, 8 IC  V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  DDR 2  KINGSTON KVR533D2N4/1G 1024MB DDR2 533 PC-4200, Value RAM  KINGSTON KVR533D2N4/512 512MB DDR2 533 PC-4200, Value RAM	US\$ US\$ US\$ US\$ US\$ US\$ US\$	26 47 93 15 29 49
MVM 256MB PC-3200 256MB DDR 400 PC-3200  MVM 512MB PC-3200 512MB DDR 400 PC-3200  V-GEN 1024MB PC-3200 1024MB DDR 400 PC-3200, 16 IC  V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 4 IC  V-GEN 256MB PC-3200 256MB DDR 400 PC-3200, 8 IC  V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  DDR 2  KINGSTON KVR533D2N4/1G 1024MB DDR2 533 PC-4200, Value RAM	US\$ US\$ US\$ US\$ US\$ US\$	26 47 93 15 29 49
MVM 256MB PC-3200 256MB DDR 400 PC-3200 MVM 512MB PC-3200 512MB DDR 400 PC-3200 V-GEN 1024MB PC-3200 1024MB DDR 400 PC-3200, 16 IC V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 4 IC V-GEN 256MB PC-3200 256MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  DDR 2  KINGSTON KVR533D2N4/1G 1024MB DDR2 533 PC-4200, Value RAM KINGSTON KVR533D2N4/512 512MB DDR2 533 PC-4200, Value RAM MVM 1024MB PC-4200 1024MB DDR2 533 PC-4200	US\$ US\$ US\$ US\$ US\$ US\$ US\$	26 47 93 15 29 49 99 55
MVM 256MB PC-3200 256MB DDR 400 PC-3200 MVM 512MB PC-3200 512MB DDR 400 PC-3200 V-GEN 1024MB PC-3200 1024MB DDR 400 PC-3200, 16 IC V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 4 IC V-GEN 256MB PC-3200 256MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  DDR 2 KINGSTON KVR533D2N4/1G 1024MB DDR2 533 PC-4200, Value RAM KINGSTON KVR533D2N4/512 512MB DDR2 533 PC-4200, Value RAM MVM 1024MB PC-4200 1024MB DDR2 533 PC-4200 MVM 512MB PC-4200 512MB DDR2 533 PC-4200	US\$ US\$ US\$ US\$ US\$ US\$ US\$ US\$	26 47 93 15 29 49 99 55 105
MVM 256MB PC-3200 256MB DDR 400 PC-3200  MVM 512MB PC-3200 512MB DDR 400 PC-3200  V-GEN 1024MB PC-3200 1024MB DDR 400 PC-3200, 16 IC  V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 4 IC  V-GEN 256MB PC-3200 256MB DDR 400 PC-3200, 8 IC  V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  DDR 2  KINGSTON KVR533D2N4/1G 1024MB DDR2 533 PC-4200, Value RAM  KINGSTON KVR533D2N4/512 512MB DDR2 533 PC-4200, Value RAM  MVM 1024MB PC-4200 1024MB DDR2 533 PC-4200  MVM 512MB PC-4200 512MB DDR2 533 PC-4200  V-GEN 1024MB PC-5300 1024MB DDR2 567 PC-5300, 8 IC	US\$ US\$ US\$ US\$ US\$ US\$ US\$ US\$	26 47 93 15 29 49 99 55 105 55
MVM 256MB PC-3200 256MB DDR 400 PC-3200  MVM 512MB PC-3200 512MB DDR 400 PC-3200  V-GEN 1024MB PC-3200 1024MB DDR 400 PC-3200, 16 IC  V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 4 IC  V-GEN 256MB PC-3200 256MB DDR 400 PC-3200, 8 IC  V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  DDR 2  KINGSTON KVR533D2N4/1G 1024MB DDR2 533 PC-4200, Value RAM  KINGSTON KVR533D2N4/512 512MB DDR2 533 PC-4200, Value RAM  MVM 1024MB PC-4200 1024MB DDR2 533 PC-4200  MVM 512MB PC-4200 512MB DDR2 533 PC-4200  V-GEN 1024MB PC-5300 1024MB DDR2 667 PC-5300, 8 IC  V-GEN 1256MB PC-5300 256MB DDR2 667 PC-5300, 8 IC	US\$	26 47 93 15 29 49 99 55 105 55 117 35
MVM 256MB PC-3200 256MB DDR 400 PC-3200 MVM 512MB PC-3200 512MB DDR 400 PC-3200 V-GEN 1024MB PC-3200 1024MB DDR 400 PC-3200, 16 IC V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 4 IC V-GEN 256MB PC-3200 256MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  DDR 2 KINGSTON KVR533D2N4/1G 1024MB DDR2 533 PC-4200, Value RAM KINGSTON KVR533D2N4/512 512MB DDR2 533 PC-4200, Value RAM MVM 1024MB PC-4200 1024MB DDR2 533 PC-4200, Value RAM MVM 1024MB PC-4200 512MB DDR2 533 PC-4200 V-GEN 1024MB PC-4200 512MB DDR2 533 PC-4200 V-GEN 1024MB PC-5300 1024MB DDR2 667 PC-5300, 8 IC V-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC V-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC V-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC HARDDISK ATA/SATA	US\$	26 47 93 15 29 49 55 105 55 117 35 63
MVM 256MB PC-3200 256MB DDR 400 PC-3200  MVM 512MB PC-3200 512MB DDR 400 PC-3200  V-GEN 1024MB PC-3200 1024MB DDR 400 PC-3200, 16 IC  V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 4 IC  V-GEN 256MB PC-3200 256MB DDR 400 PC-3200, 8 IC  V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  DDR 2  KINGSTON KVR533D2N4/1G 1024MB DDR2 533 PC-4200, Value RAM  KINGSTON KVR533D2N4/512 512MB DDR2 533 PC-4200, Value RAM  MVM 1024MB PC-4200 1024MB DDR2 533 PC-4200  MVM 512MB PC-4200 512MB DDR2 533 PC-4200  MVM 512MB PC-4300 1024MB DDR2 533 PC-4200  V-GEN 1024MB PC-5300 1024MB DDR2 667 PC-5300, 8 IC  V-GEN 256MB PC-5300 256MB DDR2 667 PC-5300, 8 IC  V-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC  W-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC  W-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC  W-GEN 68040P0 DMP8 Apollo 40GB, 7200rpm, ATA 133, 8MB Cache	US\$	26 47 93 15 29 49 99 55 105 55 117 35 63
MVM 256MB PC-3200 256MB DDR 400 PC-3200 MVM 512MB PC-3200 512MB DDR 400 PC-3200 V-GEN 1024MB PC-3200 1024MB DDR 400 PC-3200, 16 IC V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 4 IC V-GEN 256MB PC-3200 256MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  DDR 2 KINGSTON KVR533D2N4/1G 1024MB DDR2 533 PC-4200, Value RAM KINGSTON KVR533D2N4/512 512MB DDR2 533 PC-4200, Value RAM MVM 1024MB PC-4200 1024MB DDR2 533 PC-4200 MVM 512MB PC-4200 512MB DDR2 533 PC-4200 W-GEN 1024MB PC-5300 1024MB DDR2 533 PC-4200 V-GEN 1024MB PC-5300 1024MB DDR2 667 PC-5300, 8 IC V-GEN 256MB PC-5300 512MB DDR2 667 PC-5300, 8 IC V-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC W-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC W-GEN 66040P0 DMP8 Apollo 40GB, 7200rpm, ATA 133, 8MB Cache MAXTOR 6B040P0 DMP8 Calypso 200GB, 7200rpm, ATA 133, 8MB Cache	US\$	26 47 93 15 29 49 99 55 105 55 117 35 63
MVM 256MB PC-3200 256MB DDR 400 PC-3200 MVM 512MB PC-3200 512MB DDR 400 PC-3200 V-GEN 1024MB PC-3200 1024MB DDR 400 PC-3200, 16 IC V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 4 IC V-GEN 256MB PC-3200 256MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  DDR 2  KINGSTON KVR533D2N4/1G 1024MB DDR2 533 PC-4200, Value RAM KINGSTON KVR533D2N4/512 512MB DDR2 533 PC-4200, Value RAM MVM 1024MB PC-4200 1024MB DDR2 533 PC-4200 MVM 512MB PC-4200 512MB DDR2 533 PC-4200 V-GEN 1024MB PC-5300 1024MB DDR2 533 PC-4200 V-GEN 1024MB PC-5300 1024MB DDR2 667 PC-5300, 8 IC V-GEN 256MB PC-5300 512MB DDR2 667 PC-5300, 8 IC V-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC MATADDISK  ATAJSATA MAXTOR 6B040P0 DMP8 Apollo 40GB, 7200rpm, ATA 133, 8MB Cache MAXTOR 6B200P0 DMP8 Calypso 200GB, 7200rpm, ATA 133, 8MB Cache MAXTOR 6B300S0 DMP10 Apollo 300GB, 7200rpm, Serial ATA 150, 16MB Cache	US\$	26 47 93 15 29 49 55 105 55 117 35 63
MVM 256MB PC-3200 256MB DDR 400 PC-3200 MVM 512MB PC-3200 512MB DDR 400 PC-3200 V-GEN 1024MB PC-3200 1024MB DDR 400 PC-3200, 16 IC V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 4 IC V-GEN 128MB PC-3200 256MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  DDR 2 KINGSTON KVR533D2N4/1G 1024MB DDR2 533 PC-4200, Value RAM KINGSTON KVR533D2N4/512 512MB DDR2 533 PC-4200, Value RAM MVM 1024MB PC-4200 1024MB DDR2 533 PC-4200, Value RAM MVM 1024MB PC-4200 1024MB DDR2 533 PC-4200 V-GEN 1024MB PC-5300 1024MB DDR2 533 PC-4200 V-GEN 1024MB PC-5300 1024MB DDR2 667 PC-5300, 8 IC V-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC V-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC W-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC W-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC W-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC W-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC W-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC W-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC W-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC W-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC W-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC W-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC	US\$	26 47 93 15 29 49 55 105 55 117 35 63
MVM 256MB PC-3200 256MB DDR 400 PC-3200 MVM 512MB PC-3200 512MB DDR 400 PC-3200 V-GEN 1024MB PC-3200 1024MB DDR 400 PC-3200, 16 IC V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 4 IC V-GEN 256MB PC-3200 256MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  DDR 2  KINGSTON KVR533D2N4/1G 1024MB DDR2 533 PC-4200, Value RAM KINGSTON KVR533D2N4/512 512MB DDR2 533 PC-4200, Value RAM MVM 1024MB PC-4200 1024MB DDR2 533 PC-4200 MVM 512MB PC-4200 512MB DDR2 533 PC-4200 V-GEN 1024MB PC-5300 1024MB DDR2 533 PC-4200 V-GEN 1024MB PC-5300 1024MB DDR2 667 PC-5300, 8 IC V-GEN 256MB PC-5300 512MB DDR2 667 PC-5300, 8 IC V-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC MATADDISK  ATAJSATA MAXTOR 6B040P0 DMP8 Apollo 40GB, 7200rpm, ATA 133, 8MB Cache MAXTOR 6B200P0 DMP8 Calypso 200GB, 7200rpm, ATA 133, 8MB Cache MAXTOR 6B300S0 DMP10 Apollo 300GB, 7200rpm, Serial ATA 150, 16MB Cache	US\$	26 47 93 15 29 49 55 105 55 117 35 63
MVM 256MB PC-3200 256MB DDR 400 PC-3200  MVM 512MB PC-3200 512MB DDR 400 PC-3200  V-GEN 1024MB PC-3200 1024MB DDR 400 PC-3200, 16 IC  V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 4 IC  V-GEN 128MB PC-3200 256MB DDR 400 PC-3200, 8 IC  V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  DDR 2  KINGSTON KVR533D2N4/1G 1024MB DDR2 533 PC-4200, Value RAM  KINGSTON KVR533D2N4/512 512MB DDR2 533 PC-4200, Value RAM  MVM 1024MB PC-4200 1024MB DDR2 533 PC-4200  MVM 512MB PC-4200 512MB DDR2 533 PC-4200  V-GEN 1024MB PC-5300 1024MB DDR2 533 PC-4200  V-GEN 1024MB PC-5300 1024MB DDR2 667 PC-5300, 8 IC  V-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC  V-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC  HARDDISK  ATA/SATA  MAXTOR 6B040P0 DMP8 Apollo 40GB, 7200rpm, ATA 133, 8MB Cache  MAXTOR 6B200P0 DMP8 Calypso 200GB, 7200rpm, Serial ATA 150, 16MB Cache  MAXTOR 6Y040M0 DMP8 Calypso 40GB, 7200rpm, Serial ATA 150, 16MB Cache  MAXTOR 6Y040M0 DMP8 Calypso 200GB, 7200rpm, Serial ATA 150, 8MB Cache  MAXTOR 6Y040M0 DMP8 Calypso 200GB, 7200rpm, Serial ATA 150, 8MB Cache	US\$	26 47 93 15 29 49 55 105 55 55 55 57 63 49 107 186 54
MVM 256MB PC-3200 256MB DDR 400 PC-3200 MVM 512MB PC-3200 512MB DDR 400 PC-3200 V-GEN 1024MB PC-3200 1024MB DDR 400 PC-3200, 16 IC V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 4 IC V-GEN 256MB PC-3200 256MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  DDR 2  KINGSTON KVR533D2N4/1G 1024MB DDR2 533 PC-4200, Value RAM KINGSTON KVR533D2N4/512 512MB DDR2 533 PC-4200, Value RAM MVM 1024MB PC-4200 1024MB DDR2 533 PC-4200 MVM 512MB PC-4200 512MB DDR2 533 PC-4200 W-GEN 1024MB PC-5300 1024MB DDR2 667 PC-5300, 8 IC V-GEN 256MB PC-5300 256MB DDR2 667 PC-5300, 8 IC V-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC W-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC W-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC MAXTOR 68040P0 DMP8 Apollo 40GB, 7200rpm, ATA 133, 8MB Cache MAXTOR 68200P0 DMP8 Calypso 200GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 67040M0 DMP8 Calypso 40GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 67200M0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 8MB Cache MAXTOR 71300R0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 8MB Cache MAXTOR 71300R0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 71300R0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 71300R0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 71300R0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 71300R0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 71300R0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 16MB Cache	US\$	26 47 93 15 29 49 55 105 55 117 35 63 49 107 186 54 112 194 189
MVM 256MB PC-3200 256MB DDR 400 PC-3200 MVM 512MB PC-3200 512MB DDR 400 PC-3200, 16 IC V-GEN 1024MB PC-3200 1024MB DDR 400 PC-3200, 16 IC V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 4 IC V-GEN 256MB PC-3200 256MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  DDR 2 KINGSTON KVR533D2N4/1G 1024MB DDR2 533 PC-4200, Value RAM KINGSTON KVR533D2N4/512 512MB DDR2 533 PC-4200, Value RAM MVM 1024MB PC-4200 1024MB DDR2 533 PC-4200 MVM 512MB PC-4200 112MB DDR2 533 PC-4200 V-GEN 1024MB PC-5300 1024MB DDR2 533 PC-4200 V-GEN 1024MB PC-5300 1024MB DDR2 667 PC-5300, 8 IC V-GEN 256MB PC-5300 256MB DDR2 667 PC-5300, 8 IC V-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC HARDDISK ATA/SATA MAXTOR 6B040P0 DMP8 Apollo 40GB, 7200rpm, ATA 133, 8MB Cache MAXTOR 6B300S0 DMP10 Apollo 300GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 6Y040M0 DMP8 Calypso 40GB, 7200rpm, Serial ATA 150, 8MB Cache MAXTOR 6Y040M0 DMP8 Calypso 200GB, 7200rpm, Serial ATA 150, 8MB Cache MAXTOR 71300R0 DMP8 Apollo 300GB, 7200rpm, ATA 133, 16MB Cache MAXTOR 71300R0 DMP8 Calypso 200GB, 7200rpm, ATA 133, 16MB Cache MAXTOR 71300R0 DMP8 Calypso 300GB, 7200rpm, ATA 133, 16MB Cache MAXTOR 71300R0 DMP8 Calypso 300GB, 7200rpm, ATA 133, 16MB Cache MAXTOR 71300R0 DMP8 Calypso 300GB, 7200rpm, ATA 133, 16MB Cache SEAGATE 160 GB Barracuda 160GB, 7200 rpm, Serial ATA 150, 16MB Cache SEAGATE 160 GB Barracuda 160GB, 7200 rpm, Serial ATA 150, 8MB cache	US\$	26 47 93 15 29 49 55 105 55 55 55 57 117 35 63 49 107 186 54 112 194 189 82 96
MVM 256MB PC-3200 256MB DDR 400 PC-3200  MVM 512MB PC-3200 512MB DDR 400 PC-3200, 16 IC  V-GEN 1024MB PC-3200 1024MB DDR 400 PC-3200, 16 IC  V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 16 IC  V-GEN 256MB PC-3200 256MB DDR 400 PC-3200, 8 IC  V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  DDR 2  KINGSTON KVR533D2N4/1G 1024MB DDR2 533 PC-4200, Value RAM  KINGSTON KVR533D2N4/512 512MB DDR2 533 PC-4200, Value RAM  MVM 1024MB PC-4200 1024MB DDR2 533 PC-4200  MVM 512MB PC-4200 512MB DDR2 533 PC-4200  MVM 512MB PC-4300 1024MB DDR2 533 PC-4200  V-GEN 1024MB PC-5300 1024MB DDR2 667 PC-5300, 8 IC  V-GEN 256MB PC-5300 256MB DDR2 667 PC-5300, 8 IC  V-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC  HARDDISK  ATA/SATA  MAXTOR 6B040P0 DMP8 Apollo 40GB, 7200rpm, ATA 133, 8MB Cache  MAXTOR 6B300S0 DMP10 Apollo 300GB, 7200rpm, Serial ATA 150, 16MB Cache  MAXTOR 6Y040M0 DMP8 Calypso 200GB, 7200rpm, Serial ATA 150, 16MB Cache  MAXTOR 6Y020M0 DMP8 Calypso 200GB, 7200rpm, Serial ATA 150, 16MB Cache  MAXTOR 7L300R0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 16MB Cache  MAXTOR 7L300R0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 16MB Cache  MAXTOR 7L300R0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 16MB Cache  MAXTOR 7L300R0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 16MB Cache  MAXTOR 7L300R0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 16MB Cache  SEAGATE 160 GB Barracuda 160GB, 7200 rpm, Serial ATA 150, 16MB Cache  SEAGATE 161 GB Barracuda 160GB, 7200 rpm, Serial ATA 150, 8MB cache  SEAGATE ST3200822A Barracuda 200GB, 7200 rpm, Serial ATA 150, 8MB cache	US\$	26 47 93 155 29 49 55 105 55 55 55 57 117 35 63 49 107 186 112 194 112 194 189 82 96
MVM 256MB PC-3200 256MB DDR 400 PC-3200 MVM 512MB PC-3200 512MB DDR 400 PC-3200, 16 IC V-GEN 1024MB PC-3200 1024MB DDR 400 PC-3200, 16 IC V-GEN 256MB PC-3200 256MB DDR 400 PC-3200, 4 IC V-GEN 256MB PC-3200 256MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  DDR 2 KINGSTON KVR533D2N4/1G 1024MB DDR 2 533 PC-4200, Value RAM KINGSTON KVR533D2N4/512 512MB DDR2 533 PC-4200, Value RAM MVM 1024MB PC-4200 1024MB DDR2 533 PC-4200 MVM 512MB PC-4200 512MB DDR2 533 PC-4200 MVM 512MB PC-4200 512MB DDR2 533 PC-4200 MVM 512MB PC-5300 1024MB DDR2 667 PC-5300, 8 IC V-GEN 256MB PC-5300 256MB DDR2 667 PC-5300, 8 IC V-GEN 256MB PC-5300 512MB DDR2 667 PC-5300, 8 IC W-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC  HARDDISK ATA/SATA MAXTOR 68040P0 DMP8 Apollo 40GB, 7200rpm, ATA 133, 8MB Cache MAXTOR 68200P0 DMP8 Calypso 200GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 67200M0 DMP8 Calypso 200GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 67200M0 DMP8 Calypso 200GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 71300R0 DMP8 Calypso 200GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 71300R0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 7130R0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 7130R0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 16MB Cache SEAGATE 160 B Barracuda 160GB, 7200 rpm, Serial ATA 150, 16MB Cache SEAGATE 513200822A Barracuda 120GB, 7200 rpm, Serial ATA 150, 8MB cache SEAGATE ST3250623NS Barracuda 220GB, 7200 rpm, Serial ATA 150, 8MB cache	US\$	26 47 93 15 29 49 55 105 55 117 35 63 49 107 186 54 112 194 189 82 96 90 120
MVM 256MB PC-3200 256MB DDR 400 PC-3200 MVM 512MB PC-3200 512MB DDR 400 PC-3200 V-GEN 1024MB PC-3200 1024MB DDR 400 PC-3200, 4 IC V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 4 IC V-GEN 256MB PC-3200 256MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  DDR 2 KINGSTON KVR533D2N4/1G 1024MB DDR2 533 PC-4200, Value RAM KINGSTON KVR533D2N4/1G 1024MB DDR2 533 PC-4200, Value RAM MVM 1024MB PC-4200 1024MB DDR2 533 PC-4200 MVM 512MB PC-4200 112MB DDR2 533 PC-4200 W-GEN 1024MB PC-5300 1024MB DDR2 533 PC-4200 V-GEN 1024MB PC-5300 1024MB DDR2 667 PC-5300, 8 IC V-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC V-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC W-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC W-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC MAXTOR 68040P0 DMP8 Apollo 40GB, 7200rpm, ATA 133, 8MB Cache MAXTOR 6800P0 DMP8 Calypso 200GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 67040M0 DMP8 Calypso 200GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 67040M0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 71300R0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 7040MD DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 7040MD DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 16MB Cache SEAGATE C13120032A Barracuda 120GB, 7200 rpm, Serial ATA 150, 8MB cache SEAGATE ST3200822A Barracuda 200GB, 7200 rpm, Serial ATA 150, 8MB cache SEAGATE ST320082A Barracuda 200GB, 7200 rpm, Serial ATA 150, 6MB cache SEAGATE ST320082A Barracuda 200GB, 7200 rpm, Serial ATA 150, 16MB Cache	US\$	26 47 93 15 29 49 99 55 105 55 117 35 63 49 107 186 54 112 194 189 82 96 90 120
MVM 526MB PC-3200 256MB DDR 400 PC-3200 MVM 512MB PC-3200 512MB DDR 400 PC-3200, 16 IC V-GEN 1024MB PC-3200 1024MB DDR 400 PC-3200, 4 IC V-GEN 128MB PC-3200 256MB DDR 400 PC-3200, 8 IC V-GEN 256MB PC-3200 256MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  DDR 2 KINGSTON KVR533D2N4/1G 1024MB DDR2 533 PC-4200, Value RAM KINGSTON KVR533D2N4/512 512MB DDR2 533 PC-4200, Value RAM KINGSTON KVR533D2N4/512 512MB DDR2 533 PC-4200, Value RAM MVM 1024MB PC-4200 1024MB DDR2 533 PC-4200 V-GEN 1024MB PC-4200 1024MB DDR2 533 PC-4200 V-GEN 1024MB PC-4300 1024MB DDR2 533 PC-4200 V-GEN 1024MB PC-5300 1024MB DDR2 667 PC-5300, 8 IC V-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC V-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC W-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC  HARDDISK ATA/SATA MAXTOR 6B200P0 DMP8 Calypso 200GB, 7200rpm, ATA 133, 8MB Cache MAXTOR 6B300S0 DMP10 Apollo 300GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 6Y040M0 DMP8 Calypso 40GB, 7200rpm, Serial ATA 150, 8MB Cache MAXTOR 6Y040M0 DMP8 Calypso 200GB, 7200rpm, Serial ATA 150, 8MB Cache MAXTOR 71300R0 DMP8 Apollo 300GB, 7200rpm, Serial ATA 150, 8MB Cache MAXTOR 71300R0 DMP8 Calypso 200GB, 7200rpm, Serial ATA 150, 8MB Cache SEAGATE 5T3200822A Barracuda 160GB, 7200 rpm, Serial ATA 150, 8MB cache SEAGATE ST3200622A Barracuda 200GB, 7200 rpm, Serial ATA 150, 8MB cache SEAGATE ST3300821AS Barracuda 200GB, 7200 rpm, Serial ATA 150, 16MB Cache SEAGATE ST3300622A Barracuda 200GB, 7200 rpm, Serial ATA 150, 16MB Cache SEAGATE ST3300821AS Barracuda 300 GB, 7200 rpm, Serial ATA 150, 16MB Cache SEAGATE ST3300821AS Barracuda 300 GB, 7200 rpm, Serial ATA 150, 16MB Cache SEAGATE ST3300821AS Barracuda 300 GB, 7200 rpm, Serial ATA 150, 16MB Cache	US\$	26 47 93 15 29 49 55 105 55 117 35 63 49 107 186 54 112 194 189 82 96 90 120
MVM 256MB PC-3200 256MB DDR 400 PC-3200 MVM 512MB PC-3200 512MB DDR 400 PC-3200 V-GEN 1024MB PC-3200 1024MB DDR 400 PC-3200, 4 IC V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 4 IC V-GEN 256MB PC-3200 256MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  DDR 2 KINGSTON KVR533D2N4/1G 1024MB DDR2 533 PC-4200, Value RAM KINGSTON KVR533D2N4/1G 1024MB DDR2 533 PC-4200, Value RAM MVM 1024MB PC-4200 1024MB DDR2 533 PC-4200 MVM 512MB PC-4200 112MB DDR2 533 PC-4200 W-GEN 1024MB PC-5300 1024MB DDR2 533 PC-4200 V-GEN 1024MB PC-5300 1024MB DDR2 667 PC-5300, 8 IC V-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC V-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC W-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC W-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC MAXTOR 68040P0 DMP8 Apollo 40GB, 7200rpm, ATA 133, 8MB Cache MAXTOR 6800P0 DMP8 Calypso 200GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 67040M0 DMP8 Calypso 200GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 67040M0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 71300R0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 7040MD DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 7040MD DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 16MB Cache SEAGATE C13120032A Barracuda 120GB, 7200 rpm, Serial ATA 150, 8MB cache SEAGATE ST3200822A Barracuda 200GB, 7200 rpm, Serial ATA 150, 8MB cache SEAGATE ST320082A Barracuda 200GB, 7200 rpm, Serial ATA 150, 6MB cache SEAGATE ST320082A Barracuda 200GB, 7200 rpm, Serial ATA 150, 16MB Cache	US\$	26 47 93 15 29 49 55 105 55 51 117 35 63 49 107 186 54 112 194 189 99 105 115 112 194 112 194 194 195 196 196 196 196 196 196 196 196 196 196
MVM 256MB PC-3200 256MB DDR 400 PC-3200 MVM 512MB PC-3200 512MB DDR 400 PC-3200, 16 IC V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 16 IC V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 4 IC V-GEN 256MB PC-3200 256MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  DDR 2 KINGSTON KVR533D2N4/1G 1024MB DDR2 533 PC-4200, Value RAM KINGSTON KVR533D2N4/512 512MB DDR2 533 PC-4200, Value RAM MVM 1024MB PC-4200 1024MB DDR2 533 PC-4200 MVM 512MB PC-4200 112MB DDR2 533 PC-4200 WV-GEN 1024MB PC-4200 512MB DDR2 533 PC-4200 V-GEN 1024MB PC-5300 1024MB DDR2 533 PC-4200 V-GEN 1024MB PC-5300 1024MB DDR2 667 PC-5300, 8 IC V-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC W-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC W-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC  HARDDISK ATA/SATA MAXTOR 6B040P0 DMP8 Apollo 40GB, 7200rpm, ATA 133, 8MB Cache MAXTOR 6B050D0 DMP10 Apollo 300GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 6Y040M0 DMP8 Calypso 200GB, 7200rpm, Serial ATA 150, 8MB Cache MAXTOR 71300R0 DMP8 Apollo 300GB, 7200rpm, Serial ATA 150, 8MB Cache MAXTOR 71300R0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 8MB Cache MAXTOR 71300R0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 8MB Cache SEAGATE 160 GB Barracuda 160GB, 7200 rpm, Serial ATA 150, 16MB Cache SEAGATE 160 GB Barracuda 160GB, 7200 rpm, Serial ATA 150, 16MB Cache SEAGATE 5T3300822A Barracuda 200GB, 7200 rpm, Serial ATA 150, 16MB Cache SEAGATE ST3300824 Barracuda 200GB, 7200 rpm, Serial ATA 11300, 16MB cache SEAGATE ST3300824 Barracuda 200GB, 7200 rpm, Serial ATA 11300, 16MB cache SEAGATE ST3300824 Barracuda 200GB, 7200 rpm, Serial ATA 150, 8MB cache SEAGATE ST3300824 Barracuda 200GB, 7200 rpm, Serial ATA 11300, 16MB cache	US\$	26 47 93 15 29 49 99 55 105 55 55 55 55 117 35 63 49 107 186 49 112 194 189 99 90 120 115
MVM 526MB PC-3200 256MB DDR 400 PC-3200 MVM 512MB PC-3200 512MB DDR 400 PC-3200, 16 IC V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 16 IC V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 4 IC V-GEN 256MB PC-3200 256MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  DDR 2 KINGSTON KVR533D2N4/1G 1024MB DDR2 533 PC-4200, Value RAM KINGSTON KVR533D2N4/512 512MB DDR2 533 PC-4200, Value RAM MVM 1024MB PC-4200 1024MB DDR2 533 PC-4200 MVM 512MB PC-4200 1024MB DDR2 533 PC-4200 V-GEN 1024MB PC-3200 1024MB DDR2 533 PC-4200 V-GEN 1024MB PC-5300 1024MB DDR2 667 PC-5300, 8 IC V-GEN 512MB PC-5300 256MB DDR2 667 PC-5300, 8 IC V-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC W-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC HARDDISK ATA/SATA MAXTOR 6B040P0 DMP8 Apollo 40GB, 7200rpm, ATA 133, 8MB Cache MAXTOR 6B300S0 DMP10 Apollo 300GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 69040M0 DMP8 Calypso 200GB, 7200rpm, Serial ATA 150, 8MB Cache MAXTOR 6Y040M0 DMP8 Calypso 200GB, 7200rpm, Serial ATA 150, 8MB Cache MAXTOR 7V300F0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 8MB Cache MAXTOR 7V300F0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 8MB Cache SEAGATE 160 GB Barracuda 160GB, 7200 rpm, Serial ATA 150, 8MB Cache SEAGATE ST3200822A Barracuda 120GB, 7200 rpm, Serial ATA 150, 8MB Cache SEAGATE ST3200822A Barracuda 200GB, 7200 rpm, Serial ATA 150, 8MB Cache SEAGATE ST3300821A Barracuda 300 GB, 7200 rpm, Serial ATA 150, 8MB Cache SEAGATE ST3300821A Barracuda 300 GB, 7200 rpm, Serial ATA 150, 8MB Cache SEAGATE ST3300821A Barracuda 300 GB, 7200 rpm, Serial ATA 150, 8MB Cache SEAGATE ST3300821A Barracuda 300 GB, 7200 rpm, Serial ATA 150, 8MB Cache SEAGATE ST3300622A Barracuda 300 GB, 7200 rpm, Serial ATA 150, 8MB Cache SEAGATE ST3300622A Barracuda 300 GB, 7200 rpm, Serial ATA 150, 8MB Cache SEAGATE ST3300622A Barracuda 300 GB, 7200 rpm, Serial ATA 150, 8MB Cache SEAGATE ST330062A Barracuda 300 GB, 7200 rpm, Serial ATA 150, 8MB Cache SEAGATE ST330062A Barracuda 300 GB, 7200 r	US\$	26 47 93 15 29 49 55 105 55 5117 35 63 49 107 186 54 112 194 189 96 90 115 144 297 72 72
MVM 526MB PC-3200 256MB DDR 400 PC-3200 MVM 512MB PC-3200 512MB DDR 400 PC-3200, 16 IC V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 4 IC V-GEN 128MB PC-3200 256MB DDR 400 PC-3200, 8 IC V-GEN 256MB PC-3200 256MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  DDR 2 KINGSTON KVR533D2N4/1G 1024MB DDR2 533 PC-4200, Value RAM KINGSTON KVR533D2N4/512 512MB DDR2 533 PC-4200, Value RAM MVM 1024MB PC-4200 1024MB DDR2 533 PC-4200 MVM 512MB PC-4200 112MB DDR2 533 PC-4200 V-GEN 1024MB PC-5300 1024MB DDR2 533 PC-4200 V-GEN 1024MB PC-5300 1024MB DDR2 667 PC-5300, 8 IC V-GEN 256MB PC-5300 256MB DDR2 667 PC-5300, 8 IC V-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC HARDDISK ATA/SATA MAXTOR 6B040P0 DMP8 Apollo 40GB, 7200rpm, ATA 133, 8MB Cache MAXTOR 6B050D0 DMP10 Apollo 300GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 6Y040M0 DMP8 Calypso 200GB, 7200rpm, Serial ATA 150, 8MB Cache MAXTOR 6Y040M0 DMP8 Calypso 200GB, 7200rpm, Serial ATA 150, 8MB Cache MAXTOR 71300R0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 8MB Cache MAXTOR 71300R0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 8MB Cache SEAGATE 160 GB Barracuda 160GB, 7200 rpm, Serial ATA 150, 8MB Cache SEAGATE 160 GB Barracuda 160GB, 7200 rpm, Serial ATA 150, 8MB cache SEAGATE 160 GB Barracuda 160GB, 7200 rpm, Serial ATA 150, 8MB cache SEAGATE 5T3300821A Barracuda 200GB, 7200 rpm, Serial ATA 11300, 16MB Cache SEAGATE ST3300821A Barracuda 200GB, 7200 rpm, Serial ATA 11300, 16MB Cache SEAGATE ST3300821A Barracuda 300 GB, 7200 rpm, Serial ATA 11300, 16MB Cache SEAGATE ST3300821AS Barracuda 300 GB, 7200 rpm, Serial ATA 11300, 16MB Cache SEAGATE ST3300831AS Barracuda 300 GB, 7200 rpm, Serial ATA 11300, 16MB Cache SEAGATE ST3300621AB SBARRACUA 300 GB, 7200 rpm, Serial ATA 11300, 16MB Cache WESTERN DIGITAL WD2500KS 250GB, 7200 rpm, SATA 150, 8MB Cache WESTERN DIGITAL WD2500RS 250GB, 7200 rpm, SATA 150, 8MB Cache WESTERN DIGITAL WD2500RS 250GB, 7200 rpm, SATA 150, 8MB	US\$	26 47 93 15 29 49 55 105 55 55 55 55 56 3 49 107 186 49 112 194 189 90 120 115 144 297 72 79 71 70 71 71 71 71 71 71 71 71 71 71 71 71 71
MVM 526MB PC-3200 256MB DDR 400 PC-3200  MVM 512MB PC-3200 512MB DDR 400 PC-3200, 16 IC  V-GEN 1024MB PC-3200 128MB DDR 400 PC-3200, 4 IC  V-GEN 128MB PC-3200 256MB DDR 400 PC-3200, 8 IC  V-GEN 256MB PC-3200 256MB DDR 400 PC-3200, 8 IC  V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  DDR 2  KINGSTON KVR533D2N4/1G 1024MB DDR2 533 PC-4200, Value RAM  KINGSTON KVR533D2N4/512 512MB DDR2 533 PC-4200, Value RAM  MVM 1024MB PC-4200 1024MB DDR2 533 PC-4200  MVM 512MB PC-4200 112MB DDR2 533 PC-4200  MVM 512MB PC-4300 1024MB DDR2 533 PC-4200  V-GEN 1024MB PC-5300 1024MB DDR2 667 PC-5300, 8 IC  V-GEN 256MB PC-5300 256MB DDR2 667 PC-5300, 8 IC  V-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC  HARDDISK  ATA/SATA  MAXTOR 6B040P0 DMP8 Apollo 40GB, 7200rpm, ATA 133, 8MB Cache  MAXTOR 6B030S0 DMP10 Apollo 300GB, 7200rpm, Serial ATA 150, 16MB Cache  MAXTOR 6Y040M0 DMP8 Calypso 200GB, 7200rpm, Serial ATA 150, 8MB Cache  MAXTOR 7L300R0 DMP8 Calypso 200GB, 7200rpm, Serial ATA 150, 8MB Cache  MAXTOR 7L300R0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 16MB Cache  MAXTOR 7L300R0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 16MB Cache  MAXTOR 7L300R0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 16MB Cache  SEAGATE 160 GB Barracuda 160GB, 7200 rpm, Serial ATA 150, 16MB Cache  SEAGATE 161 GB Barracuda 160GB, 7200 rpm, Serial ATA 150, 16MB Cache  SEAGATE 5T3200822A Barracuda 200GB, 7200 rpm, Serial ATA 150, 8MB cache  SEAGATE ST3300821AS Barracuda 200GB, 7200 rpm, Serial ATA 150, 8MB cache  SEAGATE ST3500641AS Barracuda 200GB, 7200 rpm, Serial ATA 150, 8MB cache  SEAGATE ST3500641AS Barracuda 300GB, 7200 rpm, Serial ATA 150, 8MB cache  WESTERN DIGITAL WD2500KS 250GB, 7200 rpm, SATA 11300, 16MB Cache  WESTERN DIGITAL WD2500KS 250GB, 7200 rpm, SATA 11500, 8MB Cache  WESTERN DIGITAL WD2500KS 250GB, 7200 rpm, SATA 11500, 8MB Cache  WESTERN DIGITAL WD2500BS 250GB, 7200 rpm, SATA 11500, 8MB Cache  WESTERN DIGITAL WD2500BS 250GB, 7200 rpm, SATA 1	US\$	26 47 93 155 29 49 55 105 55 55 117 35 63 49 107 186 49 120 120 120 114 297 72 79 106 112 112
MVM 526MB PC-3200 256MB DDR 400 PC-3200 MVM 512MB PC-3200 512MB DDR 400 PC-3200, 16 IC V-GEN 128MB PC-3200 128MB DDR 400 PC-3200, 4 IC V-GEN 128MB PC-3200 256MB DDR 400 PC-3200, 8 IC V-GEN 256MB PC-3200 256MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC V-GEN 512MB PC-3200 512MB DDR 400 PC-3200, 8 IC  DDR 2 KINGSTON KVR533D2N4/1G 1024MB DDR2 533 PC-4200, Value RAM KINGSTON KVR533D2N4/512 512MB DDR2 533 PC-4200, Value RAM MVM 1024MB PC-4200 1024MB DDR2 533 PC-4200 MVM 512MB PC-4200 112MB DDR2 533 PC-4200 V-GEN 1024MB PC-5300 1024MB DDR2 533 PC-4200 V-GEN 1024MB PC-5300 1024MB DDR2 667 PC-5300, 8 IC V-GEN 256MB PC-5300 256MB DDR2 667 PC-5300, 8 IC V-GEN 512MB PC-5300 512MB DDR2 667 PC-5300, 8 IC HARDDISK ATA/SATA MAXTOR 6B040P0 DMP8 Apollo 40GB, 7200rpm, ATA 133, 8MB Cache MAXTOR 6B050D0 DMP10 Apollo 300GB, 7200rpm, Serial ATA 150, 16MB Cache MAXTOR 6Y040M0 DMP8 Calypso 200GB, 7200rpm, Serial ATA 150, 8MB Cache MAXTOR 6Y040M0 DMP8 Calypso 200GB, 7200rpm, Serial ATA 150, 8MB Cache MAXTOR 71300R0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 8MB Cache MAXTOR 71300R0 DMP8 Calypso 300GB, 7200rpm, Serial ATA 150, 8MB Cache SEAGATE 160 GB Barracuda 160GB, 7200 rpm, Serial ATA 150, 8MB Cache SEAGATE 160 GB Barracuda 160GB, 7200 rpm, Serial ATA 150, 8MB cache SEAGATE 160 GB Barracuda 160GB, 7200 rpm, Serial ATA 150, 8MB cache SEAGATE 5T3300821A Barracuda 200GB, 7200 rpm, Serial ATA 11300, 16MB Cache SEAGATE ST3300821A Barracuda 200GB, 7200 rpm, Serial ATA 11300, 16MB Cache SEAGATE ST3300821A Barracuda 300 GB, 7200 rpm, Serial ATA 11300, 16MB Cache SEAGATE ST3300821AS Barracuda 300 GB, 7200 rpm, Serial ATA 11300, 16MB Cache SEAGATE ST3300831AS Barracuda 300 GB, 7200 rpm, Serial ATA 11300, 16MB Cache SEAGATE ST3300621AB SBARRACUA 300 GB, 7200 rpm, Serial ATA 11300, 16MB Cache WESTERN DIGITAL WD2500KS 250GB, 7200 rpm, SATA 150, 8MB Cache WESTERN DIGITAL WD2500RS 250GB, 7200 rpm, SATA 150, 8MB Cache WESTERN DIGITAL WD2500RS 250GB, 7200 rpm, SATA 150, 8MB	US\$	26 47 93 15 29 49 55 105 55 55 55 563 49 107 186 49 112 194 189 96 90 120 115 144 297 72 79 71 70 71 71 71 71 71 71 71 71 71 71 71 71 71

ASUS CRW-5232AS Black 52x/32x/52x, 2MB Buffer, Internal, FlextraLink, Black, (Box) US\$

LITE-ON CDR-7S52 52x/24x/52x, 2MB Buffer, Internal, Black (OEM)

**OPTICAL DRIVE** 

31

25



# DIFFERD 3.800.000,-



Secure your Domain Name before it's gone!!

## namadomain.com

Who you're without a name ?

CALL Us: 021-663 2363 / 7075 0807 | info@namadomain.com

PREMIER PARTNER OF:











#### Optical Drive ● Monitor ● Software ● Notebook Bekas

PLEXTOR PX-W5224TA/SW 52x/24x/52x, 2MB Buffer, Internal, (Box)	US\$	6
SAMSUNG TS-H292 52x/32x/52x, 2MB Buffer, Internal, (Box)	US\$	2
SONY CRX-230AD/K 52x/32x/52x, 2MB Buffer, Internal, Black, (OEM)	US\$	2
TEAC CD-W552G 52x/32x/52x, 2MB Buffer, Internal, Black, (Box)	US\$	2
ASUS DVD-E616P1 DVD-ROM 16x, CD-ROM 48x, Internal, (OEM)	US\$	2
GIGABYTE GO-D1600A DVD-ROM 16x, CD-ROM 40x, Internal, (OEM)	US\$	2
G GDR 8162B DVD-ROM 16x, CD-ROM 48x, Internal, (BOX)	US\$	2
ITE-ON SOHD-167T02C DVD-ROM 16x, CD-ROM 40x, Internal, White (OEM)	US\$	2
VSI D-16 DVD-ROM 16x, CD-ROM 40x, Internal, (OEM)	US\$	3
SAMSUNG SD-616E DVD-ROM 16x, CD-ROM 40x, Internal, (OEM)	US\$	2
SONY DDU1621/C1 DVD-ROM 16x, CD-ROM 40x, Internal, (OEM)	US\$	2
SSUS DRW-1608P2S Internal Black IDE, 16x DVD±R, 8x DVD±R (DL), Ix DVD±RW, 6x DVD-RW, 40x CD-R, 32x CD-RW, Dual Layer	US\$	5
IENQ DW1640 Internal Black IDE, 16x DVD±R, 8x DVD±R (DL), 8x DVD+RW, ix DVD-RW, 48x CD-R, 32x CD-RW, Dual Layer	US\$	5
ITE-ON SOHW - 1653S Internal Black IDE, 16x DVD±R, 4x DVD±R (DL), Ix DVD+RW, 4x DVD-RW, 40x CD-R, 24x CD-RW, Dual Layer	US\$	5
PANASONIC SW-9585 Internal Black IDE, 16x DVD±R, 4x DVD±R (DL), BX DVD+RW, 6x DVD-RW, 5x DVD-RAM, 40x CD-R, 24x CD-RW, Dual Layer (OEM) - Bundle B-Save IDE Round Cable	US\$	5
PIONEER DVR-110BK Internal Black IDE, 16x DVD±R, 8x DVD±R (DL), 8x DVD+RW, 6x DVD-RW, 5x DVD-RAM, 40x CD-R, 32x CD-RW, Dual Layer (OEM)	US\$	5
PIONEER DVR-110DBK Internal Black IDE, 16x DVD±R, 8x DVD±R (DL),	US\$	5
sx DVD+RW, 6x DVD-RW, 40x CD-R, 32x CD-RW, Dual Layer (OEM) PIONEER DVR-111BK Internal Black IDE, 16x DVD±R, 8x DVD±R (DL),	US\$	5
x DVD+RW, 6x DVD-RW, 5x DVD-RAM, 40x CD-R, 32x CD-RW, Dual Layer (OEM) NONEER DVR-111DBK Internal Black IDE, 16x DVD±R, 8x DVD±R (DL),	US\$	5
xx DVD+RW, 6x DVD-RW, 40x CD-R, 32x CD-RW, Dual Layer (OEM)		
LEXTOR PX-716A Internal Beige IDE, 16x DVD±R, 6x DVD±R (DL), x DVD+RW, 4x DVD-RW, 48x CD-R, 24x CD-RW, Dual Layer	US\$	14
LEXTOR PX-716AL Internal Black IDE with Slot Loading, 16x DVD±R, x DVD±R (DL), 8x DVD+RW, 4x DVD-RW, 48x CD-R, 24x CD-RW, Dual Layer	US\$	25
LEXTOR PX-716UFL (White) External Beige USB 2.0 & Firewire vith Slot Loading, 16x DVD±R, 6x DVD±R (DL), 8x DVD+RW, 4x DVD-RW, 8x CD-R, 24x CD-RW, Dual Layer	US\$	27
ACER AL-1515 15", 0.297 mm, 1024 x 768 Pixels, 8ms, White ACER AL-1706 17", 1280 x 1024, 0.264mm, 12ms, 500:1, 270 cd/m2, Black	US\$ US\$	18
ACER AL-1917 19", 1280 x 1024, 0.294mm, 8ms, 700:1, 300 cd/m2, Speaker	US\$	30
(CERTIC 1317 13 , 1200 x 102 1, 0.23 11111, 0113, 700.1, 300 Cartie, speaker	054	
OC LM525 15" 0 297 mm 1024 v 768 Pivels	115¢	22
	US\$	22
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI	US\$	29
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms	US\$ US\$	29 31
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black	US\$ US\$ US\$	29 31 18
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker	US\$ US\$ US\$ US\$	29 31 18 29
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI  SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms  ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black  ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker  ENQ FP-92G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI	US\$ US\$ US\$ US\$ US\$	29 31 18 29 37
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker ENQ FP-92G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI iTC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black	US\$ US\$ US\$ US\$ US\$ US\$	29 31 18 29 37
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker ENQ FP-9G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI TC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black TC Primera LD-750 17", 1280 x 1024, 0.264mm, 700:1, 300 cd/m2, 8ms, DVI, White	US\$ US\$ US\$ US\$ US\$ US\$ US\$	29 31 18 29 37 19
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker ENQ FP-9G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI TC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black TC Primera LD-750 17", 1280 x 1024, 0.264mm, 700:1, 300 cd/m2, 8ms, DVI, White	US\$ US\$ US\$ US\$ US\$ US\$	29 31 18 29 37 19
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker ENQ FP-92G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI STC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black STC Primera LD-750 17", 1280 x 1024, 0.264mm, 700:1, 300 cd/m2, 8ms, DVI, White	US\$ US\$ US\$ US\$ US\$ US\$ US\$	29 31 18 29 37 19 30
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker ENQ FP-92G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI TC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black TC Primera LD-750 17", 1280 x 1024, 0.264mm, 700:1, 300 cd/m2, 8ms, DVI, White TC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White P L1506 15", 0.297 mm, 1024 x 768 Pixels	US\$ US\$ US\$ US\$ US\$ US\$ US\$ US\$	29 31 18 29 37 19 30 32 22
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker ENQ FP-92G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI ITC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black ITC Primera LD-750 17", 1280 x 1024, 0.264mm, 700:1, 300 cd/m2, 8ms, DVI, White ITC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White P L1506 15", 0.297 mm, 1024 x 768 Pixels P L1706 17", 0.264 mm, 1024 X 768 Pixels	US\$	29 31 18 29 37 19 30 32 22
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker ENQ FP-92G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI STC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black STC Primera LD-750 17", 1280 x 1024, 0.264mm, 700:1, 300 cd/m2, 8ms, DVI, White STC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White STC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White STC Primera LD-950 19", 1280 x 1024 x 768 Pixels STC PSTC PSTC NO.297 mm, 1024 x 768 Pixels STC PSTC PSTC NO.297 mm, 1024 x 768 Pixels STC PSTC PSTC NO.297 mm, 1024 x 768 Pixels	US\$	29 31 18 29 37 19 30 32 22 29
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker ENQ FP-92G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI ITC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black ITC Primera LD-750 17", 1280 x 1024, 0.294mm, 700:1, 300 cd/m2, 8ms, DVI, White ITC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White P L1506 15", 0.297 mm, 1024 x 768 Pixels G L15505 15", 0.297 mm, 1024 x 768 Pixels G L15505 15", 0.297 mm, 1024 x 768 Pixels G L1720B 17", 0.264 mm, 1024 x 768 Pixels	US\$	29 31 18 29 37 19 30 32 22 29 19
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker ENQ FP-92G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI TC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black TC Primera LD-750 17", 1280 x 1024, 0.264mm, 700:1, 300 cd/m2, 8ms, DVI, White TC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White TC Pimera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White TC LT Pimera LD-950 19", 1024 x 768 Pixels G L1550S 15", 0.297 mm, 1024 x 768 Pixels G L1550S 15", 0.297 mm, 1024 x 768 Pixels G L1720B 17", 0.264 mm, 1280 x 1024 Pixels HILIPS 150B6CB 15", 0.297 mm, 1024 x 768 Pixels	US\$	29 31 18 29 37 19 30 32 22 29 26 22
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker ENQ FP-92G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI TC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black TC Primera LD-950 17", 1280 x 1024, 0.264mm, 700:1, 300 cd/m2, 8ms, DVI, White TC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White P L1506 15", 0.297 mm, 1024 x 768 Pixels B L17505 15", 0.297 mm, 1024 x 768 Pixels G L15505 15", 0.297 mm, 1024 x 768 Pixels HILIPS 150B6CB 15", 0.297 mm, 1280 x 1024 Pixels HILIPS 150B6CB 15", 0.297 mm, 1024 x 768 Pixels	US\$	29 31 18 29 37 30 32 22 29 19 26 22 29
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker ENQ FP-72G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI ITC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black ITC Primera LD-750 17", 1280 x 1024, 0.264mm, 700:1, 300 cd/m2, 8ms, DVI, White ITC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White P L1506 15", 0.297 mm, 1024 x 768 Pixels P L1706 17", 0.264 mm, 1024 X 768 Pixels G L1720B 17", 0.264 mm, 1280 x 1024 Pixels HILIPS 17056FB 15", 0.297 mm, 1024 x 768 Pixels HILIPS 17056FB 17", 0.264 mm, 1024 x 768 Pixels HILIPS 17056FB 17", 0.264 mm, 1024 x 768 Pixels	US\$	29 31 18 29 30 32 22 29 20 22 29 50
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker ENQ FP-92G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI ITC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black ITC Primera LD-750 17", 1280 x 1024, 0.264mm, 700:1, 300 cd/m2, 8ms, DVI, White ITC Primera LD-950 19", 1280 x 1024, 0.264mm, 700:1, 300 cd/m2, 8ms, DVI, White P L1506 15", 0.297 mm, 1024 x 768 Pixels P L1706 17", 0.264 mm, 1024 x 768 Pixels G L1550S 15", 0.297 mm, 1024 x 768 Pixels G L1720B 17", 0.264 mm, 1280 x 1024 Pixels HILIPS 15086CB 15", 0.297 mm, 1024 x 768 Pixels HILIPS 17086FB 17", 0.264 mm, 1024 x 768 Pixels HILIPS 19086CB 15", 0.297 mm, 1024 x 768 Pixels HILIPS 19086CB 19", 0,294 mm, 1024 x 1024 Pixels HILIPS 19086CB 19", 0,294 mm, 1280 x 1024, DVI ROLINK Chameleon 15 Pro 15", 0.29 mm, 1280 x 1024 Pixels	US\$	29 33 31 31 31 31 31 31 32 22 22 22 22 22 22 24 44 45
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-92G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI TC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black TC Primera LD-750 17", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White TC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White P L1706 15", 0.297 mm, 1024 x 768 Pixels P L1706 17", 0.264 mm, 1024 x 768 Pixels G L1720B 17", 0.264 mm, 1024 x 768 Pixels HILIPS 15086CB 15", 0.297 mm, 1024 x 768 Pixels HILIPS 1706GFB 17", 0.264 mm, 1024 x 768 Pixels HILIPS 1706GFB 17", 0.297 mm, 1024 x 768 Pixels HILIPS 1706GFB 17", 0.294 mm, 1024 x 768 Pixels HILIPS 1706GFB 17", 0.294 mm, 1024 x 768 Pixels HILIPS 1706GFB 17", 0.294 mm, 1024 x 1024 Pixels HILIPS 1908CCB 19", 0,294 mm, 1280 x 1024, DVI ROUINK Chameleon 15 Pro 15", 0.29 mm, 1280 x 1024 Pixels, Touch Screen ROLINK Chameleon 150A 15", 0.297 mm, 1024 x 764 Pixels	US\$	299 318 188 329 299 200 200 200 200 200 200 200 200 2
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker ENQ FP-92G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI TC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black TC Primera LD-950 19", 1280 x 1024, 0.264mm, 700:1, 300 cd/m2, 8ms, DVI, White TC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White P L1506 15", 0.297 mm, 1024 x 768 Pixels G L1550S 15", 0.297 mm, 1024 x 768 Pixels G L1550S 15", 0.297 mm, 1024 x 768 Pixels HILIPS 150B6CB 15", 0.297 mm, 1024 x 768 Pixels HILIPS 150B6CB 15", 0.297 mm, 1024 x 768 Pixels HILIPS 150B6CB 15", 0.294 mm, 1280 x 1024 Pixels HILIPS 150B6CB 19", 0,294 mm, 1280 x 1024 Pixels HILIPS 150B6CB 15", 0.297 mm, 1280 x 1024 Pixels HILIPS 150B6CB 15", 0.297 mm, 1280 x 1024 Pixels HILIPS 150R5CB 15", 0.297 mm, 1280 x 1024 Pixels HILIPS 150R5CB 15", 0.297 mm, 1280 x 1024 Pixels HILIPS 150R5CB 15", 0.297 mm, 1280 x 1024 Pixels HILIPS 150R5CB 15", 0.297 mm, 1280 x 1024 Pixels HILIPS 150R5CB 15", 0.297 mm, 1280 x 1024 Pixels	US\$	299 333 188 333 303 303 222 292 292 292 292 293 293 294 294 295 295 295 295 295 295 295 295 295 295
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker ENQ FP-92G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI TC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black TC Primera LD-750 17", 1280 x 1024, 0.264mm, 700:1, 300 cd/m2, 8ms, DVI, White TC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White P L1506 15", 0.297 mm, 1024 x 768 Pixels G L1550S 15", 0.297 mm, 1024 x 768 Pixels G L1550S 15", 0.297 mm, 1024 x 768 Pixels HILIPS 150B6CB 15", 0.297 mm, 1024 x 768 Pixels HILIPS 150B6CB 15", 0.297 mm, 1024 x 768 Pixels HILIPS 150B6CB 15", 0.294 mm, 1280 x 1024 Pixels HILIPS 190B6CB 15", 0.294 mm, 1280 x 1024 Pixels HILIPS 190B6CB 19", 0,294 mm, 1280 x 1024, DVI ROLINK Chameleon 15 Pro 15", 0.297 mm, 1024 x 768 Pixels AMSUNG SyncMaster 540N - Black 15", 0.297 mm, 1024 x 768, 16ms, Black	US\$	299 333 188 333 303 303 222 292 292 292 292 292 292 292 292 29
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker ENQ FP-92G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI strC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black strC Primera LD-950 17", 1280 x 1024, 0.264mm, 700:1, 300 cd/m2, 8ms, DVI, White strC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White strC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White strC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White strC Primera LD-950 19", 1280 x 1024 Pixels str PL1706 17", 0.264 mm, 1024 x 768 Pixels G L17508 17", 0.297 mm, 1024 x 768 Pixels HILIPS 17056FB 17", 0.294 mm, 1280 x 1024 Pixels HILIPS 17056FB 17", 0.294 mm, 1280 x 1024, DVI ROUINK Chameleon 15 Pro 15", 0.297 mm, 1024 x 768 Pixels AMSUNG SyncMaster M 740N 17", 0.297 mm, 1024 x 768, 16ms, Black AMSUNG SyncMaster M 740N 17", 0,2 mm, 1280 x 1024, Black SOFTWARE	US\$	2ºº 2ºº 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker ENQ FP-92G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI STC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black STC Primera LD-750 17", 1280 x 1024, 0.264mm, 700:1, 300 cd/m2, 8ms, DVI, White STC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White IP L1506 15", 0.297 mm, 1024 x 768 Pixels IP L1706 17", 0.264 mm, 1024 x 768 Pixels G L17508 15", 0.297 mm, 1024 x 768 Pixels HILIPS 15086CB 15", 0.297 mm, 1024 x 768 Pixels HILIPS 15086CB 15", 0.294 mm, 1280 x 1024 Pixels HILIPS 15086CB 19", 0,294 mm, 1280 x 1024 Pixels HILIPS 19086CB 19", 0,294 mm, 1280 x 1024 Pixels HILIPS 15086CB 19", 0,294 mm, 1280 x 1024 Pixels HILIPS SyncMaster 540N - Black 15", 0.297 mm, 1024 x 768 Pixels AMSUNG SyncMaster 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SyncMaster 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG Syncmaster 740N 17", 0,2 mm, 1280 x 1024, Black  COFTWARE  PERATING SYSTEM	US\$	299 311 188 299 299 299 299 299 299 299 299 299 2
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-51G Black 15", 1024 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker ENQ FP-92G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI ITC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black ITC Primera LD-750 17", 1280 x 1024, 0.264mm, 700:1, 300 cd/m2, 8ms, DVI, White ITC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White P L1506 15", 0.297 mm, 1024 x 768 Pixels G L1550S 15", 0.297 mm, 1024 x 768 Pixels G L1550S 15", 0.297 mm, 1024 x 768 Pixels HILIPS 17056FB 17", 0.264 mm, 1024 x 768 Pixels HILIPS 17056FB 17", 0.264 mm, 1024 x 768 Pixels HILIPS 17056FB 17", 0.264 mm, 1024 x 768 Pixels HILIPS 17056FB 17", 0.294 mm, 1280 x 1024 Pixels HILIPS 19086CB 19", 0,294 mm, 1280 x 1024, DVI ROUINK Chameleon 15 Pro 15", 0.297 mm, 1024 x 768 Pixels AMSUNG SyncMaster 540N - Black 15", 0,297 mm, 1024 x 768 Pixels AMSUNG SyncMaster 7M 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG Syncmaster 7M 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG Syncmaster 7M 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG Syncmaster 7M 920N 19", 0,294 mm, 1280 x 1024, Black AMSUNG Syncmaster 7M 920N 19", 0,294 mm, 1280 x 1024, Black  **OFTWARE** **PERATING SYSTEM** **INCROSOFT E85-02667 Windows XP Professional With SP 2	US\$	299 318 318 337 303 303 303 222 292 292 292 293 303 303 303 303 303 203 204 204 205 205 205 205 205 205 205 205 205 205
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker ENQ FP-92G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI STC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black STC Primera LD-750 17", 1280 x 1024, 0.264mm, 700:1, 300 cd/m2, 8ms, DVI, White STC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White STC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White STC Primera LD-950 19", 1280 x 1024 Nizels STC PITC 17", 0.264 mm, 1024 x 768 Pixels STC L17208 17", 0.264 mm, 1280 x 1024 Pixels STLILIPS 15086CB 15", 0.297 mm, 1024 x 768 Pixels STLILIPS 17056FB 17", 0.264 mm, 1024 x 768 Pixels HILIPS 17056FB 17", 0.264 mm, 1024 x 1024 Pixels HILIPS 17056FB 17", 0.294 mm, 1280 x 1024, DVI ROLINK Chameleon 15 Pro 15", 0.297 mm, 1024 x 764 Pixels AMSUNG SyncMaster 540N - Black 15", 0.297 mm, 1024 x 768, 16ms, Black AMSUNG SyncMaster™ 740N 17", 0,2 mm, 1280 x 1024, Black  SOFTWARE  DEPERATING SYSTEM  MICROSOFT R85-02667 Windows XP Professional With SP 2  MICROSOFT R85-02667 Windows XP Professional With SP 2  MICROSOFT N09-00986 Windows XP Home Edition English CD w/ SP 2	US\$	29 31 18 37 37 30 30 30 30 20 20 20 20 20 20 20 20 20 38 38 39 30 30 30 30 30 30 30 30 30 30 30 30 30
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-51G Black 15", 1024 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker ENQ FP-92G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI ITC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black ITC Primera LD-750 17", 1280 x 1024, 0.264mm, 700:1, 300 cd/m2, 8ms, DVI, White ITC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White P L1506 15", 0.297 mm, 1024 x 768 Pixels G L17208 17", 0.264 mm, 1024 X 768 Pixels G L17208 17", 0.264 mm, 1280 x 1024 Pixels HILIPS 17056FB 17", 0.264 mm, 1024 x 768 Pixels HILIPS 17056FB 17", 0.264 mm, 1024 x 768 Pixels HILIPS 17056FB 17", 0.264 mm, 1024 x 764 Pixels HILIPS 17056FB 17", 0.294 mm, 1280 x 1024 Pixels HILIPS 17056FB 17", 0.294 mm, 1280 x 1024, DVI ROLINK Chameleon 15 Pro 15", 0.297 mm, 1024 x 764 Pixels AMSUNG SyncMaster 540N - Black 15", 0.297 mm, 1024 x 768, 16ms, Black AMSUNG SyncMaster 11" 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG Syncmaster 190N 19", 0,294 mm, 1280 x 1024, Black AMSUNG Syncmaster 190N 19", 0,294 mm, 1280 x 1024, Black AMSUNG Syncmaster 190N 19", 0,294 mm, 1280 x 1024, Black AMSUNG SYncmaster 100 200N 19", 0,294 mm, 1280 x 1024, Black AMSUNG SYncmaster 100 200N 19", 0,294 mm, 1280 x 1024, Black AMSUNG SYncmaster 100 200N 19", 0,294 mm, 1280 x 1024, Black AMSUNG SYncmaster 100 200N 19", 0,294 mm, 1280 x 1024, Black AMSUNG SYncmaster 100 200N 19", 0,294 mm, 1280 x 1024, Black AMSUNG SYncmaster 100 200N 200N 200N 200N 200N 200N 200N	US\$	29 33 18 33 30 30 30 32 22 22 22 22 22 22 22 22 22 22 22 22
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker ENQ FP-92G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI STC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black STC Primera LD-750 17", 1280 x 1024, 0.264mm, 700:1, 300 cd/m2, 8ms, DVI, White STC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White IP L1506 15", 0.297 mm, 1024 x 768 Pixels IP L1706 17", 0.264 mm, 1024 x 768 Pixels G L17508 15", 0.297 mm, 1024 x 768 Pixels HILIPS 150B6CB 15", 0.297 mm, 1024 x 768 Pixels HILIPS 150B6CB 15", 0.294 mm, 1280 x 1024 Pixels HILIPS 190B6CB 19", 0,294 mm, 1280 x 1024 Pixels HILIPS 190B6CB 19", 0,294 mm, 1280 x 1024, DVI ROLINK Chameleon 15 Pro 15", 0.297 mm, 1024 x 768 Pixels AMSUNG SyncMaster 540N - Black 15", 0,297 mm, 1024 x 768, 16ms, Black AMSUNG SyncMaster 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SyncMaster 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG Syncmaster 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG Syncmaster 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG Syncmaster 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG Syncmaster 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG Syncmaster 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG Syncmaster 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SYNCMASTER 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SYNCMASTER 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SYNCMASTER 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SYNCMASTER 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SYNCMASTER 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SYNCMASTER 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SYNCMASTER 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SYNCMASTER 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SYNCMASTER 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SYNCMASTER 740N 17", 0,2 mm, 1280 x 1024, Bl	US\$	29 31 18 37 37 30 30 32 22 22 22 22 22 22 22 22 22 22 22 22
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-51G Black 15", 1024 768, 0.294mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker ENQ FP-92G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI ITC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black ITC Primera LD-750 17", 1280 x 1024, 0.264mm, 700:1, 300 cd/m2, 8ms, DVI, White ITC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White P L1506 15", 0.297 mm, 1024 x 768 Pixels P L1706 17", 0.264 mm, 1024 x 768 Pixels G L1720B 17", 0.264 mm, 1280 x 1024 Pixels HILIPS 15086CB 15", 0.297 mm, 1024 x 768 Pixels HILIPS 15086CB 15", 0.294 mm, 1280 x 1024 Pixels HILIPS 17056FB 17", 0.264 mm, 1024 x 768 Pixels HILIPS 19086CB 19", 0,294 mm, 1280 x 1024 Pixels HILIPS 19086CB 19", 0,294 mm, 1280 x 1024, DVI ROLINK Chameleon 15 Pro 15", 0.297 mm, 1024 x 764 Pixels, Touch Screen ROLINK Chameleon 150A 15", 0.297 mm, 1024 x 764 Pixels AMSUNG SyncMaster 540N - Black 15", 0,297 mm, 1024 x 768 Pixels AMSUNG SyncMaster 7 <sup>M</sup> 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SyncMaster 7 <sup>M</sup> 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG Syncmaster 7 <sup>M</sup> 920N 19", 0,294 mm, 1280 x 1024, Black AMSUNG Syncmaster 7 <sup>M</sup> 920N 19", 0,294 mm, 1280 x 1024, Black AMSUNG Syncmaster 7 <sup>M</sup> 920N 19", 0,294 mm, 1280 x 1024, Black AMSUNG Syncmaster 7 <sup>M</sup> 920N 19", 0,294 mm, 1280 x 1024, Black AMSUNG Syncmaster 7 <sup>M</sup> 920N 19", 0,294 mm, 1280 x 1024, Black AMSUNG Syncmaster 7 <sup>M</sup> 920N 19", 0,294 mm, 1280 x 1024, Black AMSUNG Syncmaster 7 <sup>M</sup> 920N 19", 0,294 mm, 1280 x 1024, Black AMSUNG Syncmaster 7 <sup>M</sup> 920N 19", 0,294 mm, 1280 x 1024, Black AMSUNG Syncmaster 840N - Black 16", 0,297 mm, 1024 x 768 pixels AMSUNG Syncmaster 840N - Black 16", 0,297 mm, 1024 x 764 pixels AMSUNG Syncmaster 840N - Black 16", 0,297 mm, 1024 x 764 pixels AMSUNG Syncmaster 840N - Black 16", 0,297 mm, 1024 x 764 pixels AMSUNG S	US\$	29 31 18 19 33 30 32 22 29 29 29 29 29 29 29 38 39 30 30 30 30 30 30 30 30 30 30 30 30 30
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker ENQ FP-92G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI STC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black STC Primera LD-750 17", 1280 x 1024, 0.264mm, 700:1, 300 cd/m2, 8ms, DVI, White STC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White IP L1506 15", 0.297 mm, 1024 x 768 Pixels IP L1706 17", 0.264 mm, 1024 x 768 Pixels G L17508 15", 0.297 mm, 1024 x 768 Pixels G L1750B 17", 0.264 mm, 1280 x 1024 Pixels HILIPS 150B6CB 15", 0.297 mm, 1024 x 768 Pixels HILIPS 150B6CB 15", 0.294 mm, 1280 x 1024 Pixels HILIPS 190B6CB 19", 0,294 mm, 1280 x 1024 Pixels HILIPS 190B6CB 19", 0,294 mm, 1280 x 1024 Pixels HILIPS 150B6CB 19", 0,294 mm, 1280 x 1024, DVI ROLINK Chameleon 15 Pro 15", 0.297 mm, 1024 x 768 Pixels AMSUNG SyncMaster 540N - Black 15", 0,297 mm, 1024 x 768, 16ms, Black AMSUNG SyncMaster ™ 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SyncMaster ™ 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG Syncmaster ™ 920N 19", 0,294 mm, 1280 x 1024, Black  COFTWARE  DEPERATING SYSTEM MICROSOFT R85-02667 Windows XP Professional With SP 2 MICROSOFT P73-00001 Windows Server Standard 2003, with 5 client  LPLIKASI OFFICE MICROSOFT D86-01603 Visio Standard 2003  LPLIKASI GRAFIS	US\$	29 311883 3237 3333 3333 2222 2922 2922 2923 388 3623 3633 3633 3633 3633 3633 363
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-51G Pixels, DVI, 12ms, 5peaker ENQ FP-11E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, 5peaker ENQ FP-92G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI STC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black STC Primera LD-750 17", 1280 x 1024, 0.264mm, 700:1, 300 cd/m2, 8ms, DVI, White STC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White IP L1506 15", 0.297 mm, 1024 x 768 Pixels IP L1706 17", 0.264 mm, 1024 x 768 Pixels GL1550S 15", 0.297 mm, 1024 x 768 Pixels GL1550S 15", 0.297 mm, 1024 x 768 Pixels HILIPS 17056FB 17", 0.264 mm, 1280 x 1024 Pixels HILIPS 17056FB 17", 0.264 mm, 1280 x 1024 Pixels HILIPS 19086CB 19", 0,294 mm, 1280 x 1024, DVI ROUINK Chameleon 15 Pro 15", 0.297 mm, 1024 x 768 Pixels AMSUNG SyncMaster 540N - Black 15", 0,297 mm, 1024 x 768 Pixels AMSUNG SyncMaster 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SyncMaster 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SyncMaster 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG Syncmaster 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG Syncmaster 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG Syncmaster 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG Syncmaster 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG Syncmaster 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG Syncmaster 750N 19", 0,294 mm, 1280 x 1024, Black AMSUNG Syncmaster 750N 19", 0,294 mm, 1280 x 1024, Black AMSUNG Syncmaster 750N 19", 0,294 mm, 1280 x 1024, Black AMSUNG Syncmaster 750N 19", 0,294 mm, 1280 x 1024, Black AMSUNG Syncmaster 750N 19", 0,294 mm, 1280 x 1024, Black AMSUNG Syncmaster 750N 19", 0,294 mm, 1280 x 1024, Black AMSUNG Syncmaster 750N 19", 0,294 mm, 1280 x 1024, Black AMSUNG Syncmaster 750N 19", 0,294 mm, 1280 x 1024, Black AMSUNG Syncmaster 750N 19", 0,294 mm, 1280 x 1024, Black AMSUNG Syncmaster 750N 19", 0,294 mm, 1280 x 1024, Black AMSUNG Syncmaster 750N 19	US\$	29 31 188 37 19 30 32 22 22 22 22 22 22 22 22 22 22 22 22
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-16 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker ENQ FP-16 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker ENQ FP-16 17", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI STC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black STC Primera LD-750 17", 1280 x 1024, 0.264mm, 700:1, 300 cd/m2, 8ms, DVI, White STC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White IP L1506 15", 0.297 mm, 1024 x 768 Pixels IP L1706 17", 0.264 mm, 1024 x 768 Pixels G L17208 17", 0.264 mm, 1280 x 1024 Pixels HILIPS 17056FB 15", 0.297 mm, 1024 x 768 Pixels HILIPS 17056FB 17", 0.264 mm, 1280 x 1024 Pixels HILIPS 17056FB 17", 0.264 mm, 1280 x 1024 Pixels HILIPS 17056FB 17", 0.294 mm, 1280 x 1024 Pixels HILIPS 1806CB 19", 0,294 mm, 1280 x 1024, DVI ROLINK Chameleon 15 Pro 15", 0.297 mm, 1024 x 768 Pixels AMSUNG SyncMaster 540N - Black 15", 0.297 mm, 1024 x 768, 16ms, Black AMSUNG SyncMaster™ 740N 17", 0,2 mm, 1280 x 1024, Black  SOFTWARE  PERATING SYSTEM MICROSOFT E85-02667 Windows XP Professional With SP 2 MICROSOFT R93-00001 Windows XP Home Edition English CD w/ SP 2 MICROSOFT D86-01603 Visio Standard 2003  ***PLIKASI OFFICE*** MICROSOFT D86-01603 Visio Standard 2003  ******* **** ***** ***** **** ****	US\$	29 311 188 37 199 37 30 32 22 22 22 22 22 22 22 22 22 22 22 22
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker ENQ FP-92G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI strC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black iTC Primera LD-950 19", 1280 x 1024, 0.264mm, 700:1, 300 cd/m2, 8ms, DVI, White ITC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White IP L1506 15", 0.297 mm, 1024 x 768 Pixels IP L1706 17", 0.264 mm, 1024 x 768 Pixels G L1550S 15", 0.297 mm, 1024 x 768 Pixels G L1550S 15", 0.297 mm, 1024 x 768 Pixels HILIPS 150B6CB 15", 0.297 mm, 1024 x 768 Pixels HILIPS 150B6CB 15", 0.297 mm, 1024 x 768 Pixels HILIPS 150B6CB 15", 0.297 mm, 1024 x 768 Pixels HILIPS 150B6CB 15", 0.297 mm, 1024 x 768 Pixels HILIPS 150B6CB 15", 0.297 mm, 1024 x 768 Pixels HILIPS 150B6CB 15", 0.297 mm, 1024 x 764 Pixels HILIPS 150B6CB 15", 0.297 mm, 1024 x 768 Pixels HILIPS 150B6CB 15", 0.297 mm, 1024 x 764 Pixels HILIPS 150B6CB 15", 0.297 mm, 1280 x 1024, DVI ROUINK Chameleon 15 Pro 15", 0.297 mm, 1024 x 764 Pixels AMSUNG SyncMaster 540N - Black 15", 0.297 mm, 1024 x 768, 16ms, Black AMSUNG SyncMaster TM 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SyncMaster TM 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SyncMaster TM 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SyncMaster TM 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SyncMaster TM 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SyncMaster TM 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SyncMaster TM 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SyncMaster TM 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SyncMaster TM 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SyncMaster TM 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SyncMaster TM 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SyncMaster TM 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG Sy	US\$	29 31 188 37 37 37 30 22 22 22 22 22 22 22 22 22 22 22 22 22
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-51G Pixels, 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker ENQ FP-92G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI siTC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black iTC Primera LD-750 17", 1280 x 1024, 0.264mm, 700:1, 300 cd/m2, 8ms, DVI, White iTC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White iP L1506 15", 0.297 mm, 1024 x 768 Pixels iP L1706 17", 0.264 mm, 1024 x 768 Pixels G L1550S 15", 0.297 mm, 1024 x 768 Pixels G L1550S 15", 0.297 mm, 1024 x 768 Pixels HILIPS 15086CB 15", 0.297 mm, 1024 x 768 Pixels HILIPS 15086CB 15", 0.297 mm, 1024 x 768 Pixels HILIPS 15086CB 15", 0.294 mm, 1280 x 1024 Pixels HILIPS 15086CB 15", 0.294 mm, 1280 x 1024 Pixels HILIPS 15086CB 15", 0.294 mm, 1280 x 1024 Pixels HILIPS 15086CB 15", 0.297 mm, 1024 x 768 Pixels AMSUNG SyncMaster 540N - Black 15", 0.297 mm, 1024 x 768 Pixels AMSUNG SyncMaster ™ 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SyncMaster ™ 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SyncMaster ™ 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG Syncmaster № 920N 19", 0,294 mm, 1280 x 1024, Black AMSUNG SyncMaster ™ 920N 19", 0,294 mm, 1280 x 1024, Black AMSUNG SyncMaster ™ 920N 19", 0,294 mm, 1280 x 1024, Black AMSUNG SyncMaster ™ 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SyncMaster ™ 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SyncMaster ™ 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SyncMaster ™ 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SyncMaster Standard 2003, with 5 client  APLIKASI OFFICE  AMCROSOFT DR3-00001 Windows XP Professional With SP 2  AMCROSOFT DR3-0001 Windows Standard 2003  APLIKASI GRAFIS  DOBE 28030211 Creative Suites Standard Edition 2, Windows, English  DOBE 28030211 Creative Suites Standard Edition 2, Windows, English	US\$	29 31 188 37 37 37 30 32 22 22 22 22 22 22 22 22 22 22 22 22
OC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black ENQ FP-51G Pixels, DVI, 12ms, 5peaker ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, 5peaker ENQ FP-92G+ 19", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI STC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black ITC Primera LD-750 17", 1280 x 1024, 0.264mm, 700:1, 300 cd/m2, 8ms, DVI, White ITC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White IP L1506 15", 0.297 mm, 1024 x 768 Pixels IP L1706 17", 0.264 mm, 1024 x 768 Pixels IP L1708 17", 0.264 mm, 1280 x 1024 Pixels HILIPS 150B6CB 15", 0.297 mm, 1024 x 768 Pixels IHLIPS 150B6CB 15", 0.294 mm, 1280 x 1024 Pixels HILIPS 150B6CB 19", 0,294 mm, 1280 x 1024 Pixels HILIPS 190B6CB 19", 0,294 mm, 1280 x 1024, DVI ROLINK Chameleon 15 Pro 15", 0.297 mm, 1024 x 768 Pixels AMSUNG SyncMaster 540N - Black 15", 0,297 mm, 1024 x 768 Pixels AMSUNG SyncMaster 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SyncMaster 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG SyncMaster 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG Syncmaster 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG Syncmaster 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG Syncmaster 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG Syncmaster 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG Syncmaster 740N 17", 0,2 mm, 1280 x 1024, Black AMSUNG Syncmaster 740N 17", 0,2 mm, 1280 x 1024, Black  AMSUNG Syncmaster 740N 17", 0,2 mm, 1280 x 1024, Black  AMSUNG Syncmaster 740N 17", 0,2 mm, 1280 x 1024, Black  AMSUNG Syncmaster 740N 17", 0,2 mm, 1280 x 1024, Black  AMSUNG Syncmaster 740N 17", 0,2 mm, 1280 x 1024, Black  AMSUNG Syncmaster 740N 17", 0,2 mm, 1280 x 1024, Black  AMSUNG Syncmaster 740N 17", 0,2 mm, 1280 x 1024, Black  AMSUNG Syncmaster 740N 17", 0,2 mm, 1280 x 1024, Black  AMSUNG Syncmaster 740N 17", 0,2 mm, 1280 x 1024, Black  AMSUNG Syncmaster 740N 17", 0,2 mm, 1280 x 1024, Black  AMSUNG Syncmaster 740N 17"	US\$	29 31 188 29 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20
NOC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI  SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms  JENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black  JENQ FP-51G 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker  JENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker  JENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker  JENQ FP-71E 17", 0.297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black  JENG FP-71E 17", 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI  JEC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black  JEC Primera LD-750 17", 1280 x 1024, 0.264mm, 700:1, 300 cd/m2, 8ms, DVI, White  JEC L1506 15", 0.297 mm, 1024 x 768 Pixels  JEC L1506 15", 0.297 mm, 1024 x 768 Pixels  JEC L17208 17", 0.264 mm, 1280 x 1024 Pixels  HILIPS 15086CB 15", 0.297 mm, 1024 x 768 Pixels  HILIPS 15086CB 15", 0.297 mm, 1024 x 768 Pixels  HILIPS 17056FB 17", 0.264 mm, 1280 x 1024 Pixels  HILIPS 19086CB 19", 0,294 mm, 1280 x 1024 Pixels  HILIPS 19086CB 19", 0,294 mm, 1280 x 1024 Pixels  HILIPS 19086CB 19", 0,294 mm, 1280 x 1024 Pixels  HILIPS 19086CB 19", 0,294 mm, 1280 x 1024 Pixels  AMSUNG SyncMaster 540N - Black 15", 0,297 mm, 1024 x 768 Pixels  AMSUNG SyncMaster 1540N - Black 15", 0,297 mm, 1024 x 768 Pixels  AMSUNG SyncMaster 1540N - Black 15", 0,297 mm, 1024 x 768 Pixels  AMSUNG SyncMaster 1540N - Black 15", 0,297 mm, 1024 x 764 Pixels  AMSUNG SyncMaster 1540N - Black 15", 0,297 mm, 1024 x 764 Pixels  AMSUNG SyncMaster 1540N - Black 15", 0,297 mm, 1024 x 764 Pixels  AMSUNG SyncMaster 1540N - Black 15", 0,297 mm, 1024 x 764 Pixels  AMSUNG SyncMaster 1540N - Black 15", 0,297 mm, 1024 x 764 Pixels  AMSUNG SyncMaster 1540N - Black 15", 0,297 mm, 1024 x 764 Pixels  AMSUNG SyncMaster 1540N - Black 15", 0,297 mm, 1024 x 764 Pixels  AMSUNG SyncMaster 1540N - Black 15", 0,297 mm, 1024 x 764 Pixels  AMSUNG SyncMaster 1540N - Black 15", 0,297 mm, 1024 x 764 Pixels  AMSUNG SyncMaster 1540N - Black 15", 0,297 mm, 1024 x 768 Pixels  AMSUNG SyncMaster 15	US\$	29 31 188 32 29 29 20 20 20 20 20 20 20 20 38 32 20 20 20 20 20 20 20 20 20 20 20 20 20
NOC LM525 15", 0.297 mm, 1024 x 768 Pixels  NOC LM725 17", 0.264 mm, 1280 x 1024 Pixels, DVI  SUS PM-17TS 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 8ms  ENQ FP-51G Black 15", 1024 x 768, 0.297mm, 12ms, 400:1, 250 cd/m2, Black  ENQ FP-71E 17", 0.264 mm, 1280 x 1024 Pixels, DVI, 12ms, Speaker  ENQ FP-71E 17", 0.264 mm, 1280 x 1024, 0.294mm, 8ms, 550:1, 250 cd/m2, DVI  TOC D500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black  ETC LD 500 N 15", 0,297 mm, 1024 x 768, Wall-Mounting, Speaker, Silver Black  ETC Primera LD-750 17", 1280 x 1024, 0.294mm, 700:1, 300 cd/m2, 8ms, DVI, White  ETC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White  ETC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White  ETC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White  ETC Primera LD-950 19", 1280 x 1024, 0.294mm, 8ms, 500:1, 250 cd/m2, White  ETC Primera LD-950 19", 1280 x 1024, D24 Pixels  ETC LT06 17", 0.264 mm, 1024 x 768 Pixels  G L1550S 15", 0.297 mm, 1024 x 768 Pixels  HILLPS 150B6CB 15", 0.297 mm, 1024 x 768 Pixels  HILLPS 150B6CB 15", 0.297 mm, 1024 x 768 Pixels  HILLPS 170S6FB 17", 0.264 mm, 1280 x 1024 Pixels  HILLPS 170S6FB 17", 0.294 mm, 1280 x 1024 Pixels  HILLPS 170S6FB 17", 0.294 mm, 1280 x 1024 Pixels  HILLPS 180B6CB 19", 0,294 mm, 1280 x 1024 Pixels  AMSUNG SyncMaster 540N - Black 15", 0,297 mm, 1024 x 768 Pixels  AMSUNG SyncMaster 540N - Black 15", 0,297 mm, 1024 x 768, 16ms, Black  AMSUNG SyncMaster 7M 740N 17", 0,2 mm, 1280 x 1024, Black  AMSUNG SyncMaster 7M 740N 17", 0,2 mm, 1280 x 1024, Black  AMSUNG SyncMaster 7M 740N 17", 0,2 mm, 1280 x 1024, Black  AMSUNG SyncMaster 7M 740N 17", 0,2 mm, 1280 x 1024, Black  BOPERATING SYSTEM  MICROSOFT P3-00001 Windows XP Professional With SP 2  MICROSOFT D9-00986 Windows XP Home Edition English CD w/ SP 2  MICROSOFT D86-01603 Visio Standard 2003  **PLIKASI GRAFIS**  DOBE 23102150 Photoshop CS2 (v9), Windows, English  DOBE 28000712 Director 10, Multiple Platforms, English  DOBE 38000712 Director 10, Mu	US\$	222 293 311 18 293 373 303 222 292 292 292 292 292 292 293 383 364 21 474 474 475 475 475 475 475 475 475 475

NOTEDOOK DEKAS	
NOTEBOOK BEKAS TOSHIBA Satellite A60 Intel Pentium4 3.0 GHz,Memory 256 MB,HD 40 GB,	Pn 6 250 000
DVD+CDRW,Layar 15 TFT,VGA ATI Radeon UP TO 64MB,LPT Port, 3 USB, TV Out,	Rp 6.250.000
Modem, Lan, Firewire, WiFi	
Dell Inspiron 510m Intel Pentium M 1.6 Ghz, Memory 256 MB, HD 30 GB,	Rp 5.800.000
DVD+CDRW, Layar 14 TFT, VGA Intel Extreme 64MB Integrated, LPT Port,	
Serial Port, 2 USB, Modem, Lan, Irda, S-Video, Firewire, WiFi	D 4350 000
COMPAQ Presario 2500 Intel Pentium4 2.4 Ghz, 256MB Memory, 30GB HDD,	Rp 4.250.000
14TFT Display, CDROM, VGA ATI Radeon UP TO 64MB, LPT Port, PS2 Port, 3 USB, Modem, Lan, S-Video, Firewire, Irda	
Fujitsu Lifebook C Series Intel Pentium3 1000 MHz, Memory 128 MB,	Rp 3.000.000
HD 12 GB, CDROM, Layar 14.1 TFT, VGA ATI Rage 8MB, LPT Port,	
4 USB, Modem, Lan, S-Video, Firewire, IRDA	
Acer Aspire 5502NWXCi Intel Centrino 740 - 1733MHz ( 2MB Cache,	Rp 6.000.000
FSB 533Mhz), 256MB DDR2, HDD 60GB, 14,1" Wide Screen TFT, DVD-CDRW	
Touchpad, Modem 56k, LAN 100Mbps, Wireless LAN Intel PRO , 2200BG 802.11bg, Battery Lithium Ion, Adaptor Charger, Tas	
Acer Travelmate 2313NLCi Intel Celeron M 370 - 1500MHz ( 1MB Cache ),	Rp 4.500.000
256MB DDR, HDD 40GB, 15" TFT, DVD-CDRW, TouchPad, Modem 56k,	.,
LAN 100Mbps, Wireless LAN Intel PRO 2200BG 802.11bg,	
Battery Lithium Ion, Adaptor Charger, Tas	
Dell Inspiron 510m Intel Centrino 725 - 1600Mhz ( 2MB Cache , DOTHAN	Rp 6.300.000
Processor ), 256MB DDR, HDD 80GB, 15" TFT, DVD-CDRW, Touchpad,	
Modem 56k, Lan 100Mbps, Wireless LAN Intel PRO 2200BG 802.11bg, Battery Lithium Ion , Adaptor Charger , Tas	
Dell Inspiron 3700 Intel P3 Celeron - 433MHz , 128MB , HDD 20GB , 12,1"	Rp 2.550.000
tft SVGA 800x600 , CDROM Drive Internal , Mouse Double : Stick Pointer &	.,,
Touchpad , 2bh PCMCIA CardBus 32bit , Serial Port , Parallel Port , RGB Port , USB	
Port , S-Video TV Out , InfraRed Port , Battery Lithium Ion , Adaptor Charger , Tas	
Fujitsu Lifebook C2010 Intel Mobile Pentium 4 - 1600Mhz Speedstep ( 512Kb	Rp 4.750.000
Cache ) , 256MB DDR , HDD 30GB , 14,1" tft XGA 1024x768 , CDRW Drive Internal , FDD Internal , Mouse : Touchpad , 4bh USB Port Ver 2.0 , Paralel Port ,	
RGB Port , S-Video TV Out Port , Modem 56k , LAN 100Mbps , FireWire IEEE 1394 Port ,	
2bh PCMCIA Cardbus 32bit , Infrared Port, Baterai Lithium-Ion, Adaptor Charger, Tas	
Fujitsu Lifebook C1211D Intel Pentium M 725 - 1600MHz ( 2MB Cache),	Rp 6.950.000
256MB DDR, HDD 40GB, 15,1" TFT XGA, DVD-CDRW COMBO, Touchpad,	
Modem 56k, LAN 100Mbps, InfraRed Port, Wireless LAN ATHEROS 802.11abg,	
Battery Lithium Ion, Adaptor Charger, Tas	D= F F00 000
Fujitsu Lifebook S6110 Intel Mobile Pentium 3 - 1200Mhz Speedstep ( 512kb Cache ) , 256MB DDR , HDD 30GB , 13,3" tft XGA , CDRW Drive Internal , Mouse :	Rp 5.500.000
Touchpad , Modem 56k , LAN 100Mbps , RGB Port , Firewire IEEE 1394 Port ,	
InfraRed Port , 1bh PCMCIA Cardbus 32bit , Battery Lithium Ion , Adaptor Charger , Tas	
Toshiba Portege 2000 Intel Mobile Pentium 3 - 750Mhz Speedstep (512kb Cache),	Rp 5.350.000
256MB, HDD 20GB, CDROM PCMCIA, 12,1" tft XGA 1024x768, Touchpad,	
Modem 56 , LAN 100Mbps, 2in1 Memory Card Slot , InfraRed Port,	
Battery Lithium Ion, Adaptor Charger , Tas , Extra Battery Docking 3600MAH Toshiba Satellite A50 Intel Centrino 725 - 1600Mhz (2MB Cache, DOTHAN	Rp 6.450.000
Processor), 256MB DDR, HDD 40GB, 14,1" TFT, DVD-CDRW,Touchpad,	пр 0.430.000
Modem 56k , LAN 100Mbps, Wireless LAN Intel PRO 2100B 802.11B,	
Baterai Lithium Ion , Adaptor Charger , Tas	
Toshiba Tecra M2V Intel Centrino 715 - 1500 Mhz ( 2MB Cache, DOTHAN	Rp 7.350.000
Processor ), 256MB DDR, HDD 40 GB, 14.1" TFT, DVD-CDRW, TouchPad,	
Modem 56k, Gigabit Ethernet, 2in1 Memory Card Slot, InfraRed port,	
IEEE 1394 Port, S-Video TV Out , Wireless LAN Intel PRO 2100B 802.11b, Baterai Lithium-Ion , Adaptor charger , Tas	
Toshiba Satellite M30 Intel Centrino 715 - 1500Mhz ( 2MB Cache, DOTHAN	Rp 6.850.000
Processor ), 256MB DDR, HDD 40GB, 15,4" TFT Wide XGA ,	
Graphics Nvidia Ge Force FX GO 5200 with 32MB Non Share Memory ,	
DVD-CDRW COMBO Drive Internal, Touchpad, Modem 56k,	
LAN 100Mbps, IEEE 1394 Port, InfraRed Port, 2in1 Memory Card Slot,	
Wireless LAN Intel PRO 2100B 802.11b, Harman Kardon Speaker,	
Battery Lithium Ion , Adaptor Charger , Tas  IBM Thinkpad R40 Intel Mobile Pentium 4 - 2000 MHz Speedstep ( 512Kb Cache ) ,	Rn 5 200 000
256MB DDR , HDD 40GB , 15" tft XGA 1024x768 , DVD-CDRW COMBO Drive	NP 3.200.000
Internal , Modem 56k , LAN 100Mbps , Mouse Double : Stick Pointer &	
Touchpad , USB Port 2bh Ver 2.0 , Parallel Port , RGB Port , 2bh PCMCIA Card	
Bus 32bit , InfraRed Port , S-Video TV Out , IBM ThinkLight (lampu kecil diatas	
LCD) , Battery Lithium Ion , Adaptor Charger , Tas	D- 2.7E0.000
IBM Thinkpad T23 Intel Mobile Pentium 3 - 1133Mhz Speedstep ( 512Kb Cache ) , 128MB , 30GB , 14,1" tft XGA 1024x768 , DVDROM Drive Internal , Mouse :	Rp 3.750.000
StickPointer, 2bh USB Port, Modem 56k built in , LAN 100Mbps built in ,	
Serial Port , Paralel Port , RGB Port , S-Video TV Out Port , Infrared Port ,	
2bh PCMCIA Cardbus 32bit , IBM Thinklight ( lampu kecil diatas layar ),	
Battery Lithium Ion , Adaptor Charger , Tas	
IBM Thinkpad T40 Intel Centrino - 1500MHz ( 1MB Cache ) , 256MB DDR ,	Rp 7.050.000
HDD 80GB 5400RPM , 14,1" tft XGA 1024x768 , Graphics ATI Radeon 7500	
with 32MB Non Sharing Memory , DVDROM Drive Internal , Mouse Double :	
Stick Pointer & Touchpad , Modem 56k , Gigabit Ethernet 1000Mbps , S-Video TV Out , USB Port 2bh Ver 2.0 , Parallel Port , RGB Port , 2bh PCMCIA	
Card Bus 32bit , InfraRed Port , Wireless Intel PRO 2100B 802.11b 11Mbps	
built in , IBM Thinklight ( Lampu kecil diatas ), Battery Lithium Ion Extra	
Capasity (Kapasitas besar 6600mAH) , Adaptor Charger , Tas	



# FIBER OPTIC DAN 3 SATELLITE LINKS KE TIER-1 INTERNET BACKBONE!



# Colocation Server Mulai dari Pa 1825.000

Anda mendapatkan:

- 192 Kbps Bandwidth International
- 100 Mbps Bandwidth Local IIX
- 8 Public IP Address
- Technical Support 24X7X365
- 99.9% Uptime Guarantee
- **UPS** Backup

#### Juga Tersedia:

- Rack Solution
- → Dedicated Server

   Property 

   Pro

BEST QUALITY AND RELIABILITY BANDWITH WITH AFFORDABLE PRICE



Untuk informasi lebih lanjut (021) 526 9258



eales@ged.net.id ged\_marketing





## indoglobal.com

memberi layanan & menu pilihan yang terbaik sejak 1997











# free registration!

ACCOUNT	MONTHLY	SPACE
Starter A	Rp. 20.000	25 Mb
Starter B	Rp. 35.000	40 Mb
Basic	Rp. 57.500	100 Mb
Intermediate	Rp. 90.000	185 Mb
Advance	Rp. 145.000	375 Mb
Pro	Rp. 265.000	850 Mb
Platinum	Rp. 540.000	2000 Mb
Extra	Rp. 1.150.000	4000 Mb

# NetSupp

#### www.netsupport-inc.com





- \* Remote Control System
- \* Internet Gateway
- \* Hardware Inventory
- \* Software Inventory
- \* Monitoring
- \* File Transfer
- \* File Distribution
- \* Desktop Integration
- \* Printer Re-Direction

- \* Enhanced Platform Support
- \* Active X Web Browser Support
- \* Show Function
- \* Remote Deployment
- \* Comprehensive Security
- \* Scripting & Scheduling
- \* Power Management
- \* 64 Bit Support
- \* User Friendly Interface


















- \* Student Registration
- \* Web Control Module
- \* Lesson Timer
- \* Class Wizard
- \* Remote Control
- \* Thumbnail View
- \* Monitor Mode
- \* Screen Capture
- \* Whiteboard
- \* Show Video
- \* Save Replay
- \* Student Testing
- \* Instant Surveys

- \* Application Control Module
- \* Co-Browse
- \* File Distribution
- \* File Transfer
- \* Group Leader
- \* Record and Replay
- \* Group Chat
- \* Multi-Scan
- \* Power Management
- \* Blank Students Screen
- \* Launch Applications
- \*Annote
- \* Lesson Plans





- \* User Management
- \* Software Inventory
- \* Hardware Inventory
- \* Application Metering
- \* Internet Metering
- \* Software Distribution
- \* Software Distribution Warehouse
- \* Application Packager
- \* Remote Control
- \* Reporting
- \* DNA Help Desk



Mega Arvia Building 4th Floor Jl. Sultan Iskandar Muda No. 29 Alteri Pondok Indah

Jakarta Selatan, 12240 Phone: +62 (21) 729 1908

Fax: +62 (21) 722 5428 E-mail: info@ozonesecuritech.com Web: www.ozonesecuritech.com

#### **NetSupport Awards:**





## Workshop Sehari Kelas Regular - Privat - In House Training

Bandwidth Management Lembaga Pendidikan & Pengembangan Profesi Terpadu Dengan Linux

URASI: 6 Jam BIAYA: Rp. 300rb

Khusus Bulan Oktober 2006

#### Internet, Pemrograman & Database

- Internet Standard
- Aplikasi Web Standard (HTML)
   Aplikasi Web Terpadu (HTML, CSS, JavaScript, PHP, MySQL)
   Pemrograman Web dgn PHP
   Pemrograman Web dgn Java

- SQL dgn PostgreSQL

#### Aplikasi Bisnis (AB)

- Windows, Ms. Word, Ms. Excel (AB-1)
- Ms. PowerPoint, Ms. Access (AB-2)
- OpenOffice.org (AB-3)





Selasa - Kamis Sabtu - Minggu

Shift-II \$ 08.00 s.d 10.00 WIB Shift-III \$ 10.00 s.d 12.00 WIB Shift-III \$ 14.00 s.d 15.30 WIB Shift-IIV \$ 19.00 s.d. 21.00 WIB



#### Linux

Pelopor Training LINUX di Indonesia

- Linux Fundamental & Desktop
- Aplikasi Perkantoran dengan OpenOffice.org
- Database dalam OpenOffice.org ("Access" for LINUX) Linux Sys. Admin & Networking
- Melayani Pembuatan Mail Server & Migrasi dari Windows ke Linux

#### Visual Basic 6.0

VB Standard

AutoCAD Fundamental AutoCAD 3D Special

AutoCAD

VB Intermediate + SQL Server

#### Teknisi Komputer

 Merakit Komputer & Membangun LAN (Intranet)

#### Ds MAX

- Animasi Modelling
- Animasi Arsitektur
- Karakter Animasi

#### CD Interaktif

**Untuk Multimedia Designers** dengan: Macromedia Flash, Adobe Photoshop, Swish

#### **Desain Grafis**

- Macromedia FreeHand
- Adobe Photoshop
- Adobe Illustrator
- Adobe PageMaker

- Adobe Premiere (Video Editing)
- After Effect

#### *NURUL FIKRI*

#### http://www.nurulfikri.com email: info@nurulfikri.com

- Jl. Margonda Raya No. 522, Depok 16424
  - \* /Fax.: (021) 7874223, 7874224, 77206991
- Jl. Mampang Prapatan X/4, Jakarta 12790 **(021)** 7947115, 7975235

Fax.: (021) 7901205



- Jl. A. Yani Sentra Niaga B.I/12, Bekasi
  - ☐ /Fax.: (021) 8853537
- Jl. Ir. H. Juanda No. 95, Ciputat Indah Permai Blok C. 32 Wisma Usaha UIN Syarif Hidayatullah, Ciputat - Tangerang, Banten
  - **2** (021) 7492840, 92960625
- Jl. Kopi No. 23A / Depan UNILA (Komp. Yayasan Darul Hikmah) Gedong Meneng -
- **(0721)** 7425345, 747403
- Jl. MP. Mangku Negara No. 67 Kenten - Palembang 30114
  - 2 (0711) 813599 Fax.: (0711) 825549

## CAKRAWE CYBER Bld 10th Floor

Jl.Kuningan Barat no.8 Jakarta 12710 Phone.(021)5268000 Fax.(021)5266444 http://www.cakraweb.com - info@cakraweb.com



SPECIAL DEFER

### Server Colocation : Feature :

NOC IIX Jakarta **Unlimited Data Transfer** Free 1 Domain name .com .net .org

1 U Racmount for only

Dedicated Server with spec: 120Gb; 2,4; 512 Mb Far anly

Rp.835.000,-/manth \*>

#### Linux. FreeBSD and W2K Hostina Features:

- Unlimited data transfer
- Control panel
- POP3 email, FTP
- CGI, SQL and much more...

start from

- Free Setup
- 2 Months Free \*

\*)certain rules apply



Device Type: Portable Microdrive

Capacity: 5 GB

Interface: Hi Speed USB 2.0 Data Transfer Rate: 10 MBps Environment: PC & Mac OS

#### For More Extensive Information Please contact our authorized Dealer:

1 YEAR WARRANTY
1 To 1 Replacement



B

Micro Drive 5GB Rp. 950,000.-

Jakarta (021): Anugerah Setia Jaya 5822767 . Easycom 7235444 . Century Comp 56953693 . Citra Comp 63865366 . Columbindo 6330783 . Connex 6008244 . Media Komputindo 5822767 . Megacom 6127712 . Mitra Comp 70634473 . MS Comp 7945874 . Ozone 62307990 . pandu Comp 53679105 . PC Pro 57933542 . Tecnet 6591255 . Terminal 62301631 . T&T 6000362 . T&T 2 6128782 . Top's 6125448 . Virago Technicom 6126481 . Zebe 2 62304758 Bandung (022): AICOM Jaya 2043768 . Cirebon (0231): Petra Comp 202702 . Semarang (024): Mita informatika 3549118 . Makmur Jaya 3573170 . Jogja (0274): Talenta 517077 . Hyper-End 7141542 . Atlas Buana Jaya 619831 Solo (0271): Citra Mandiri 730707 . Surabaya (031): ACC 5455021 . Chips Showroom 5912245 . CK 5481006 . Daytona 8480138 . JBC 5467550 . Maria 5480972 . Melia 5353681 . PCP 5327755 . Tan 5342611 . Malang (0341): Alif 578086 . Cat com 557909 . Electron 563196 . Gading mandiri 7026585 . Galaxy Solusindo 578882 . Kirana Aktif 577813 . Ngalam 324391 . Sarjana 7003044 . Studio 23 418142 . Wahana Cipta Utama 551663 . Jember : Surya Gemilang 337472 . medan (061): Cipta Kreasi 4511300 . Pekan Baru (0761): Golden Casindo 26029 . Padang (0751): Maxindo 24714 . Palembang (0711): Andestech 819010 . MDP 322222 . Jambi (0741): Eleven Comp 51843 . Lampung (0721): Metro Comp 7471280 . Banjarmasin (0511): Multi Prima 54141 . Balikpapan (0542): Surya kencana 875751 . Palangkaraya (0536): Mulia Comp 3223336 . Samarinda (0541): G-Comp 748476 . Pontianak (0561): Asterindo 735163 . Comnet 769391 . Mitrasindo 731993 . Makasar (0411): Plaza 311604 . Markas 350148 . Surya 334758 . Celtron 319716 . Bhineka 872641 . MIC 5066616 . Manado (0431): Chips 862175 . Palu (0411): Limanet 5092676



**NEXUS Mouse** 

8D Magic Ball Mouse, PS/2, USB, Optical or Ball mouse Ball USB \$4.5 PS/2 \$4.5 Combo \$9.5 8DQ Mouse Black RF, 8D Scroll Ball, Optical Combo U5\$19.5 & Rechargeable U5\$30

3DK Metal Mouse give you a cool sensation, optical combo US\$14 3D2 Ergonomic Mouse, full Rubber Coating, Optical Combo US\$10.5 3DU Mini Mouse Shoes Scroll, for notebook, Optical Combo U559.5

3DS Mouse Oval Scroll, Optical, Combo US\$6.3 3DC Mouse Capsul Scroll, Optical, Combo US\$6,3

3D1 Mouse Simple Scroll, Optical, Combo US\$6.3 3DM Mouse Baby Blue, Optical, Combo US\$6.3



#### **NEXUS USB Flash Drive**

Support USB ver. 1.1 & 2.0, Hot Plug & Play, Support power saving mode, no external power enquired.

128MB ver2 US\$12.5 256MB ver 2 US\$15

512MB ver 2 US\$18.5 1GIGA ver 2 US\$29.5

2GIGA ver 2 US\$50

## NEXUS FlashDrive with MP3 Player \* MP3 / WMA / WAV Audio Format \* OLED Color Display

- SD / MMC Support
- \*SD / MMC Support
  \*USB 2.0
  \*Digital Voice Recording
  \*Multi-Language GUI (Tradisional Chinese, English, Italian, Spanish, Russian, German, & French)
  \*5 EQ Modes (Normal, Pop, Rock, Jazz, & Classic)
  \*FM Radio Tunner & Recording
  \*Cong Livin Figuraty Model
  \*Cong Livin Figuraty Model

- \* Song Lyric Display Mode \* Size: (6.5 x 4.5 x 1.5) cm, colours: Black & Silver

256MB US\$4





Nexus USB All in 1 Card Reader will help you work in reading all kind of type memory card. With A future design & elegant colors, and support USB Rev.1.1 and 2.0

Colors: Metallic Blue

#### **NEXUS USB HUB**

1 USB Connector Upstream port, to 4 USB connector downstream port. Complies with the USB specification Rev.1.1 / 2.0, A real plug and play and hot plugged device, One year warranty 1. SLIM USB2.0(9x2x1.5)cm, short cable US\$20 2. Square USB2.0(4.7x4.7x1.2)cm US\$12

NEXUS Sharing USB HUB: Sharing each 4 USB ports between 2 users, (2 computers), easy to switch between each port, huge saving on working time & equipment investment.
Dimention (LxWxH) cm :(9x6x2)cm, Colors : Metallic Gray USB ver 1.1 USS15

## Nexus Internet & Multimedia Slim-Keyboard (K400s) 1. For internet start up browser Go to default homepage. 2. E-mail Start up for receiving / sending e-mail. 3. Stop for STOP PLAYING BLAY (AN UNICE for Default)

- 4. PLAY / PAUSE for CD driver
- 5. PREVIOUSE / NEXT for track, when more than one media
- were in the playing list. 6. MUTE for sound.
- 7. VOLUME control for Increase or decrease volume. US\$11















512MB US\$57 1GB US\$71



Nexus UPS 600 / 1200 VA UPS, Protect your PC from Loss Power, Ergonomic Size, & Easy to use Two years Warranty

N-600B with AVR N-1200B with AVR Battery UPS 12V 7AH ( N-600B & N-1200B) N-1000S 1KVA Online

N-2000S 2KVA Online N-3000S 3KVA Online

N-6000SL 6KVA Online (external Battery) Battery Not Included US\$1,400 S6 case, battery case for 20pcs Battery 12V 17AH for N-6000SL US\$85 Battery UPS 12V 17AH (for N-6000SL)





Desk Size : 90 x 67 x 122



#### Grace 602 TK

Desk Size: 65 x 50 x 120



Desk Size: 110 x 45 x 95



#### Grace 114

Desk Size: 114 x68 x 112



#### Grace 65 TK

Desk Size: 70 x 70 x 135

#### Grace 651

Desk Size : 65 x 45 x 70



A G E N :

JAKAR CO Ozone I 62304758, Ozone II 62307390, Citra Computer 63865366, Victory 6125387, T&T I 6128782, T&T II 92985603, Connex 6011881, Victronic 6283258, MS Computer 7945874, Pandu Computer 53679105, Ascomnet II 6281760, MS COM/ Mitra Com 70634473, Century Com 56953693, Indo Mebel 86609059, Suluh Komputer 486218, Citra Jaya 8496269, 21 Computer 5327953, Sinkron Computer 5038819, AJS 8471778, Bismar 8474685, Chips 5912555, Cornection Citra Mandiri 730707, BADDING COMPUTER 5038819, AJS 8471778, Bismar 8474685, Chips 5912555, Cornection Citra Mandiri 730707, BADDING COMPUTER 5038819, AJS 8471778, Bismar 8474685, Chips 5912555, Cornection Citra Mandiri 730707, BADDING COMPUTER 5038819, AJS 8471778, Bismar 8474685, Chips 5912555, Cornection Citra Mandiri 730707, BADDING COMPUTER 5038819, AJS 8471778, Bismar 8474685, Chips 5912555, Cornection Citra Mandiri 730707, BADDING COMPUTER 5038819, AJS 8471778, Bismar 8474685, Chips 5912555, Cornection Citra Jaya 8496269, 21 Computer 5327953, Sinkron Computer 5038819, AJS 8471778, Bismar 8474685, Chips 5912555, Cornection Citra Jaya 8496269, 21 Computer 5327953, Sinkron Computer 730707, BADDING COMPUTER 5327953, Sinkron Computer 730707, BADDING COMPUTER 5327953, Sinkron Computer 7471280, Mahir Computer 481526, Mugen Computer 251843, Pand Cornection Citra Mandiri 730707, BADDING COMPUTER 5327953, Sinkron Computer 7471280, Mahir Computer 481526, Mugen Computer 3227331, Badding Cornection Citra Mandiri 730707, BADDING COMPUTER 5327953, Sinkron Computer 7471280, Mahir Computer 481526, Mugen Computer 327331, Badding Cornection Citra Mandiri 730707, BADDING COMPUTER 5387953, Sinkron Computer 7471280, Mahir Computer 481526, Mugen Computer 327331, Badding Cornection Citra Mandiri 730707, BADDING COMPUTER 5387953, SINKron Computer 5367953, Sin

# AC AUTOMATIC VOLTAGE REGULATOR

AGEN: JAKARTA (021) : Ozone 1 62304758, Ozone 2 62307390, Citra Comp 63865366, MS Comp 45874, Pandu Comp 53679105 Mitra Comp 70634473, Century Comp 56953693, Surya Cakra Infokom 92850821, Art Computer 6281801. Il i Computer Centre 75921223, YOGYAKARTA (0274): Suluh Comp 468218, KEDIŔI (0354) : Turbo Comp 7004920, MADIUN (0351): Multi Electroni Comp 497322, ICC 452545 SURABAYA (031) Comp 8496269, Data Tech 5342995, AJS 8471778, SIDOARJO (031): Inter Media Computer 70429988, MALANG (0341): Citra Jaya Comp 557585, Mitra Mas Setia 493212, JEMBER (0331): Bit Comp 481822, SEMARANG (024) Informatika 3573170, Makmur Jaya 3549118, SOLO (0271): Info Media 735151, Citra Mandiri 730707, BANDUNG (022) : Alcom 2043768. Giga Comp 212517, CIREBON (0231) : Petra Comp 202702, MEDAN (061) Edison 4681300, PALEMBANG (0711): Bobby Comp 322156, CV Anugrah 318235, LAMPUNG (0721): Metro Comp 7471280, Mahir Comp 481526, PADANG (0751): Maxindo 24714, PEKAN BARU (0761): Golden Casindo 26029. JAMBI (0741) : Eleven Comp 51843, PONTIANAK (0561) Usaha Jaya 733000 BANJARMASIN (0511) : Multi Prima 54141, BALIKPAPAN (0542): Surya Kencana 875751, PALÁNGKARAYA (0536) : Bintang Timur Computer 3229614, SAMARINDA (0541) : Mitra Jaya Mandiri 735032, Sony Computer 748101, Citra Sarana 732328, KALTIM (0552): PJ Computer Shop 2705555, KUPANG (0380): Bobby Comp 833148 MAKASSAR (0411) Mahkota Computer 425153 Studio 44 Comp 886633, AMBON (0911): Anugrah Comp 343085





H riberi delet initi

# Solusi Tepat, Pembersih yang paling jitu



Plus Tool Kit !!! C .....

Mengatasi semua masalah pada Head Printer anda,

(PUTUS-PUTUS, BUNTU/KERING, atau bahkan

TIDAK KELUAR SAMA SEKALI, dengan reaksi yang sangat cepat.

Cocok untuk semua jenis Head Printer (HP, Canon, Epson, Lexmark) serta AMAN bagi Head Printer InkJet anda

TIDAK MERUSAK PLASTIK/METAL INKJET HEAD PRINTER !!! By. MJM

AGEN:
JAKARTA (021): Ozone 1 52304758. Citra Comp 63885366, MS Comp 7945874. Connex 5008244. MS Comp 7945874. Pandu Comp 53679105. Mitra Comp 10634473.
Century Comp 56953693. Ozone 2 62307390. Surya Cakra Infotom 92850821. Art Computer 6281801. Challenger Comp 7251559. PC Prof 57933542.43.44. Il Computer 6281801. Challenger Comp 7251559. PC Prof 57933542.43.44. Il Computer 6281801. Challenger Comp 7251559. PC Prof 57933542.43.44. Il Computer 6281801. Challenger Comp 7251559. PC Prof 57933542.43.44. Il Computer 6281801. Challenger Comp 5895369. Sur ABARY (031): Citra Laya Comp 5496209. Data Tech 534299. Sur SiDOARJO (031): Inter Acet Computer 70429988. MALANG (0341): Citra Jaya Comp 559536. Hair Komputer 33422. Hitra Mais Setta 493212. JEMBER (0331): Bit Comp 481122. SEMARANG (024): Mitra Informatika 3573770. Maximur Julya 3540118. SOID (0271): Informatika 3573770. PALANGKARAYA (05721). Maximur Julya 3573770. Soid (0371): Informatika 3573770. Soid (0371): Informati





# ROTECTOR FOR YOUR NOTEBOOK



Made from Neoprene Material

#### NOTEBOOK KEYBOARD COVER

Waterproof Dustproof

Washable



A. HP. IBM. Acer, Dell, Apple



#### LCD CLEANING KIT



#### SCREEN PROTECTOR



Material from Japan nti Scratch, Durable, or Notebook 12", 12"W 14", 14"W, 15", 15"W, 17"



Dealer Jakarta: \*Ultima 021 700 81685 - 700 48183 Ratu Plaza: \*Gading Kencana 021 72798281 \*CBM 021 5724 780 \*Toshiba Shop 021 727 97751 \*CPU 021 7207524 Mall Ambasador: \*Asia Notebook 021 579 33557 \*NEC 021 576 3410 \*OSHER 021 5762966 M2 Mall: \*CBM 021 6018905 \*NB Station 021 62301371 \*HASEE 021 6017276 \*JC Comp 021 6230 3665 Dusit M2: \*Insight 021 6230 2029 \*Apollo 021 6000 353 \*Columbia 021 612 6812 \*Powertech 021 6268154 GM Plaza: \* CBM 021 633 7511 \*Surya Comp 021 6343 8889 KLP Gading: \*CBM: 021 4585 7971 Bandung: \* IT Talk 022 4212598 Medan: \*Surya Mega 061 7333 9333 Jambi: \*Tekno Master 0741 23038 Palembang: \*Primatech 0711 351767 Pk Baru: \*Klik Komp 0761 23413, \*Tekno Komp 0761 27797 Lampung: \*Tekno Master 0721 7471935 - 702664 Lombok: \*Bitcom 0381 21412 Semarang: \*Metro CD 024 8417112 Surabaya: \*Elmicom 031 5671229 Banjarmasin: \*Multi Prima 0511 335 4141 Tarakan: \*Sungai Baru 0551 21427 Makassar: \*Surya Computer 0411 334758 Ambon: \*Surya Listrik 0911 310171 Manado: \*Omega Komp 0431 859771